

# 1972 Distributor Specifications

## CHRYSLER DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BELOW BY 2.

Distributor Part No.	Rot. Ⓞ	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Dist. Deg. & Inches of Hg.)					
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.		
3656237	C	0-5	550	8-10	800	12-14	2000	5-3	7	6-8.5	11
3656243	C	1-4.5	650	8-10.5	950	12-14	2000	5-3	7	6-8.5	11
3656252	C	5-4.5	550	9-11	900	12-14	2000	5-3.5	10	5-8	15
3656257	C	5-4.5	550	9-11	900	12-14	2000	5-3	7	5-7.5	9.5
3656260	C	5-3.5	700	9-11.5	1150	12-14	2000	5-3.5	10	5-8	15
3656266	C	5-3.5	700	9-11.5	1150	12-14	2000	5-3	7	5-7.5	9.5
3656272	C	1-6	550	8-10.5	800	14-16	2100	1-4	9.5	8-10.5	15
3656275	C	0-4	600	9-11	1000	14-16	2100	1-4	9.5	8-10.5	15
3656278 Ⓞ	C	1-5	650	12-14	1050	11-13.5	2400	5-3.5	9	7-10	12.5
3656329	CC	1-5	650	8-10	900	12-14	2000	1-4	10.5	8-10.5	15.5
3656332	CC	5-4	650	6-8	950	10-12	2000	1-4	10.5	8-10.5	15.5
3656335 Ⓞ	CC	1-5	650	8-10	900	13-15	2250	1-4	10.5	8-10.5	15.5
3656338 Ⓞ	CC	5-4	650	6-8	950	10-12.5	2500	1-4	10.5	8-10.5	15.5
3656341 Ⓞ	CC	5-4	650	6-8	950	10-12.5	2500	1-4	10.5	8-10.5	15.5
3656344	CC	5-4	650	6-8	950	10-12	2000	1-4	10.5	8-10.5	15.5
3656347 Ⓞ	CC	1-5	650	8-10	900	13-15	2250	1-4	10.5	8-10.5	15.5
3656350	CC	1-5	650	8-10	900	12-14	2000	1-4	10.5	8-10.5	15.5
3656353 Ⓞ	CC	0-3.5	650	8-10.5	1000	8-10.5	2150	1-4	10.5	8-10.5	15.5
3656390	C	1-6	550	8-10.5	800	14-16	2100	1-4.5	12	8-10.5	15
3656429 Ⓞ	C	1-6	550	8-10.5	800	13-15	1900	0-3	9	7-10	14
3656435 Ⓞ	C	0-4	600	9-11	1100	13-15	1900	0-3	9	7-10	14
3656587 Ⓞ	C	1-6	550	8-10.5	800	14-16	2100	1-4.5	12	7-10	14.5
3656593	CC	1-4.5	550	7.5-9.5	800	14-16	1900	1-4	10.5	8-10.5	15.5
3656596 Ⓞ	CC	1-4.5	550	7.5-9.5	800	13-15	1800	1-4	10.5	8-10.5	15.5

Ⓞ - C (Clockwise); CC - (Counterclockwise).

Ⓞ - Electronic Distributor.

## DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BELOW BY 2.

Distributor Part No.	Rot. Ⓞ	Automatic Advance (Distr. Degrees & RPM)				Vacuum Adv. (Distr. Degrees & In. of Hg.)				Vacuum Unit No.		
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Max. Deg.	In. Hg.			
1110435	C	1-3	850	.....	.....	10-12	2000	0	6-8	12	14.5-15.5	1973428
1110461	C	5-2.5	500	.....	1200	17-19	1700	0	5-7	11.5	11.5-13	1116198
1110489	C	0-2	650	.....	1150	11-13	2050	0	7-9	11.5	15-16.5	1973434
1110492	C	0-2	800	.....	.....	11-13	2000	0	6-8	12	14.5-15.5	1973428
1110497	C	0	600	.....	1000	13-15	2200	0	5-7	6-8	10-11	1973419
1110498	C	0-2	650	.....	1150	11-13	2050	.....	.....	.....	.....	1973442
1111369	C	0-2	550	.....	850	9-11	1900	.....	.....	.....	.....	.....
1111370	C	0-2	600	.....	1200	12-14	2200	.....	.....	.....	.....	.....

Ⓞ - C (Clockwise); CC (Counterclockwise) viewed from rotor end.

# 1972 Distributor Specifications

## DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS (Cont.)

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BELOW BY 2.

Distributor Part No.	Rot. Ⓢ	Automatic Advance (Dist. Degrees & RPM)				Vacuum Advance (Dist. Degrees & In. of Hg.)				Vacuum Unit No.		
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Max. Deg.	In. Hg.			
1112005	C	0-2	600	.....	1100	11-13	2150	0	7-9	10.3	16.5-17.8	1115357
1112016	C	0-2	500	.....	900	10-12	2300	0	6-8	8	14.5-16	1116210
1112033	CC	0-2	400	.....	1200	13-15	2000	0	7-9	12.5	17-20	1973433
1112034	CC	.5-4	450	.....	600	12-14	1500	0	11-13	8.75	17-19	1973427
1112036	CC	0-2.5	500	.....	900	10-12	2000	0	6-8	13	16-17.5	1973407
1112039	C	0-2	650	.....	.....	9-11	2100	0	7-9	10.5	16.5-18	1973436
1112044	C	0-2	550	.....	1200	10-12	2100	0	7-9	8	15-16	1973437
1112045	C	0-2	650	.....	1200	8-10	2100	0	7-9	8	15-16	1973437
1112049	C	0-2	650	.....	1125	11-13	2500	0	7-9	8	15-16	1973437
1112050	C	0-2	650	.....	1200	8-10	2100	0	7-9	8	15-16	1973437
1112051	C	.5-2.5	600	.....	1000	10-12	1950	0	7-9	10.5	16.5-18	1973436
1112052	C	.5-2.5	600	.....	1000	10-12	1950	0	7-9	10.5	16.5-18	1973436
1112057	C	0-2	600	.....	1200	14-16	2200	0	7-9	10.5	16.5-18	1973436
1112085	CC	0-2	400	.....	1000	14-16	2000	0	6-8	13	16-17.5	1973407
1112095	C	0-2	650	.....	1200	13-15	2500	0	7-9	8	15-16	1973437
1112099	C	0-2	600	.....	1150	11-13	2300	0	7-9	10.5	16.5-18	1973436
1112101	C	0-2	650	.....	1200	13-15	2500	0	7-9	8	15-16	1973437
1112106	CC	0-2	500	.....	1000	14-16	2000	0	6-8	13	16-17.5	1973407
1112108	C	0-2	500	.....	1000	13-15	2300	0	7-9	15	14-16	1973441
1112109	C	0-2	500	.....	900	7-9	1500	0	6-8	8.5	14.5-16.5	1116210
1112110	C	0-2	500	.....	1050	8-10	1500	0	6-8.5	10	12-14	1973440
1112111	C	0-2	600	.....	1200	14-16	2200	0	5-7	6-9	11-13	1115355
1112112	C	0-2	500	.....	1000	12-14	2000	0	5-7	6-9	11-13	1115355
1112118	CC	0-2	800	.....	1000	9-11	2300	0	6-8	10	13-15	1115364
1112119	CC	0-2	800	.....	1000	13-15	2400	0	6-8	10	13-15	1115364
1112121	CC	0-2	800	.....	1200	11-13	2300	0	6-8	10	13-15	1115364
1112122	CC	0-2	900	.....	1000	11-13	2300	0	8-10	10	15-17	1115365
1112124	CC	0-2	800	.....	900	8-10	2300	0	8-10	10	15-17	1115365
1112126	CC	0-3	650	.....	1100	12-14	2200	0	6-8	10	13-15	1115364
1112127	CC	0-2	800	.....	1200	8-11	2400	0	8-10	10	15-17	1115365
1112133	CC	0-2	650	.....	1000	12-16	2400	0	6-8	10	13-15	1115364
1112134	C	0-2	600	.....	1100	11-13	2200	0	7-9	10.5	16.5-18	1973436
1112136	CC	0-2	800	.....	1000	10-12	2300	0	6-8	10	13-15	1115364
1112138	CC	0-2	850	.....	1000	8-10	2300	0	6-8	10	13-15	1115364
1112139	CC	0-2	850	.....	1000	11-13	2300	0	6-8	10	13-15	1115364
1112140	CC	0-2	800	.....	1000	10-12	2300	0	6-8	10	13-15	1115364
1112141	CC	0-2	800	.....	1200	11-13	2300	0	6-8	10	13-15	1115364
1112142	CC	0-2	900	.....	.....	11-13	2300	0	8-10	10	15-17	1115365
1112144	CC	0-2	800	.....	1000	9-11	2100	0	8-10	10	15-17	1115365
1112145	CC	0-2	800	.....	1000	9-11	2100	0	8-10	10	15-17	1115365

Ⓢ - C (Clockwise), CC (Counterclockwise) viewed from rotor end.

# 1972 Distributor Specifications

## DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS (Cont.)

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BELOW BY 2.

Distributor Part No.	Ret. Ⓢ	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Degrees & In. of Hg.)				Vacuum Unit No.				
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.		Max. Deg.	In. Hg.		
1112146	CC	0-2	650	5-8	1050	.....	.....	12-14	2200	0	6-8	10	13-15	1115364
1112147	C	0-2	650	.....	.....	.....	.....	9-11	2100	0	7-9	10.5	16.5-18	1973436
1112152	C	0-2	600	4-6	900	6-9	1200	10-12	2100	0	7-9	8	15-16	1973437
1112153	C	0-2	650	9-12	1200	.....	.....	13-15	2500	0	7-9	8	15-16	1973437
1112154	C	0-2	700	4-7	1200	.....	.....	8-10	2100	0	7-9	8	15-16	1973437
1112156	C	0-2	700	7-9	1100	.....	.....	11-13	2500	0	7-9	8	15-16	1973437
1112162	C	0-2	600	7-9	1200	.....	.....	14-16	2200	0	7-9	10.5	16.5-18	1973436
1112163	C	0-2	600	6-8	1000	.....	.....	10-12	2000	0	7-9	10.5	16.5-18	1973436
1112165	C	0-2	700	4-7	1200	.....	.....	8-10	2100	0	7-9	8	15-16	1973437
1112167	C	0-2	650	9-12	1200	.....	.....	13-15	2500	0	7-9	8	15-16	1973437
1112169	C	0-2	600	6-8	1000	.....	.....	10-12	2000	0	7-9	10.5	16.5-18	19436
1112172	CC	0-2	550	.....	.....	3-6	1000	7-9	1700	0-1	8-10	12.5	18-20	1973408
1112173	C	0-2	500	.....	.....	6-9	900	13-15	2400	0-1	6-8	8.5	14-16	1116210
1112179	C	0-3	500	7-10	900	.....	.....	15-17	2200	0	5-7	6-9	11-13	1115355
1112481	CC	0-2	400	.....	.....	.....	.....	13-15	1050	.....	.....	.....	.....	.....
1112482	C	0-3	500	6-9	800	10-12	1100	13-15	1400	.....	.....	.....	.....	.....

Ⓢ - C (Clockwise), CC (Counterclockwise) viewed from rotor end.

## 1972 Distributor Specifications

## FORD MOTOR CO. CENTRIFUGAL ADVANCE SPECIFICATIONS

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BELOW BY 2.

Distributor Part No. (Exc. Calif.)	Distributor Part No. (Calif. Only)	Rot. Ⓞ	Automatic Advance (Distr. Degrees & RPM)				Degr. @ 2000 RPM
			Degr. @ 500 RPM	Degr. @ 750 RPM	Degr. @ 1000 RPM	Degr. @ 1500 RPM	
72HF-DC 72HF-FA	72HF-DC 72HF-SC 72IF-TA	C C C C	1/2-2 1/2 1/2-2 1/2 0-1/2 0-1/2	5 1/2-7 1/2 5 1/2-7 1/2 0-1 1 1/2-3 1/2	6 1/2-8 1/2 6 1/2-8 1/2 3-5 5 1/2-7 1/2	9 1/2-11 1/2 9 1/2-11 1/2 8 1/2-10 7 1/2-9 1/2	12-14 11 1/2-14 13 1/2-15 1/2 10-12
72IF-YA D2AF-BA D2AF-CA D2AF-KA		C C CC CC	0-1/2 0-1 0-1 1-3	1 1/2-3 1/2 1 1/2-4 0-1 1/2 5 1/2-7 1/2	5 1/2-7 1/2 3-5 4 1/2-6 1/2 6 1/2-8 1/2	7 1/2-9 1/2 4 1/2-7 7-9 1/2 8 1/2-10 1/2	10-12 6-8 1/2 8 1/2-11 10 1/2-12 1/2
D2AF-NA D2AF-PA D2AF-RA	D2AF-MA	CC CC CC CC	0-1 0-1 0-1 1/2-2 1/2	1 1/2-3 1/2 1 1/2-3 1/2 1 1/2-4 2-4	7-9 7-9 6 1/2-8 1/2 3 1/2-5 1/2	10 1/2-12 1/2 10 1/2-12 1/2 8 1/2-11 6 1/2-9	11 1/2-14 11 1/2-14 11-13 1/2 9 1/2-12
D2DF-AA D2DF-CA	D2AF-SA D2DF-BA	CC C C C	1/2-2 1/2 0-2 0-2 0-1	2-4 4 1/2-6 1/2 4 1/2-6 1/2 3-5	3 1/2-5 1/2 7-9 7-9 7 1/2-9 1/2	6 1/2-9 9-11 1/2 9-11 1/2 9 1/2-12	9 1/2-12 11-13 1/2 11-13 1/2 10 1/2-12 1/2
D2DF-DA	D2DF-EA D2DF-FA	C C C CC	1/2-2 1/2 0-1 0-1 0-1	5-7 3-5 0-1 2-4	9-11 7 1/2-9 1/2 4 1/2-7 4 1/2-6 1/2	10 1/2-12 1/2 9 1/2-12 10 1/2-12 1/2 6-8	11-13 1/2 10 1/2-12 1/2 11-13 1/2 7-9 1/2
D2MF-EA	D2MF-FA	CC CC	0-1 0-1/2	2-4 0-1/2	4 1/2-6 1/2 2 1/2-4 1/2	6-8 8-10 1/2	7-9 1/2 11 1/2-13 1/2
D20F-AA D20F-DA	D20F-FA	C C	0-1 1/2 0-1	5-7 1 1/2-3 1/2	5 1/2-7 1/2 4-6	7-9 7-9	8-10 1/2 8-10 1/2
D20F-HA	D20F-JA	CC CC CC	0-1 0-1 0-1/2	0-2 0-2 0-1 1/2	5-7 5-7 7 1/2-9 1/2	7 1/2-9 1/2 7 1/2-9 1/2 8-10 1/4	8 1/2-11 8 1/2-11 11 1/2-13 1/2
D20F-LA D20F-PA		C	0-2 1/2	6-8	7 1/2-9 1/2	10-12 1/2	12 1/2-15
D2VF-AA D2VF-BA D2ZF-AA	D20F-RA D2VF-BA	CC CC CC CC	0-1 0-1 0-1 0-1 1/2	0-1 1/2 1 1/2-3 1/2 1-3 2 1/4-4 1/4	4 1/2-6 1/2 5 1/2-7 1/2 6 1/2-8 1/2 4 1/2-6 1/2	7 1/2-9 1/2 7-9 7 1/2-10 8-10	8 1/2-11 8-10 1/2 9-11 1/2 10-12 1/2
D2ZF-EA D2ZF-GC D2ZF-JA D2SF-EA	D2ZF-CA D2ZF-FA D2ZF-HA	CC CC CC CC CC	0-1 0-1/2 0-1/2 0-1 0-1 0-1	3 1/2-5 1/2 0-1 1/4 0-1 1/4 0-1 1 1/2-3 1/2 0-1 1/2 0-1 1/2	6 1/2-8 1/2 0-1 3/4 0-1 3/4 0-2 4 1/2-6 1/2 2 1/2-4 1/2 2 1/2-4 1/2	8 1/2-10 1/2 5 1/2-8 1/4 5 1/2-8 1/4 4 1/2-6 1/2 10-12 7 1/2-9 1/2 4 1/2-6 1/2	10 1/2-12 1/2 10 1/2-13 10 1/2-13 8 1/2-11 12-14 1/2 11 1/2-13 6-8 1/2

Ⓞ - C (Clockwise), CC (Counterclockwise) viewed from rotor end. Ⓞ - Part No. stamped on housing.

# 1972 Distributor Specifications

## FORD MOTOR CO. VACUUM ADVANCE & RETARD SPECIFICATIONS

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BELOW BY 2.

Distributor Part No. (Exc. Calif.)	Distributor Part No. (Calif. Only)	Rot. Ⓢ	Vacuum Advance (Distr. Degrees) Operate Distributor @ 1000 RPM			Vacuum Retard (Distr. Degrees) Operate Distributor @ 1000 RPM		
			In. Hg. 5	In. Hg. 15	In. Hg. 20	In. Hg. 5	In. Hg. 15	In. Hg. 20
72HF-DC 72HF-FA	72HF-DC 72HF-SC 72IF-TA	C C C C	0-2 0 0-2 1/2 0-2 1/2	5 1/2-7 1/2 5 1/2-7 1/2 5 1/2-7 1/2 5-8	5 1/2-7 1/2 5 1/2-7 1/2 5 1/2-7 1/2 5-8	0 0 0 0	1/2-4 1/2-4 1/2-4 0-1 1/2	2-4 2-4 2-4 3 1/2-7
72IF-YA D2AF-BA D2AF-CA D2AF-KA	72IF-YA D2AF-BA D2AF-CA D2AF-KA	C C CC CC	0-2 1/2 0-1 0-1 1/2 0-1	5-8 6 1/2-9 1/2 2 1/2-5 1/2 6 1/2-9 1/2	5-8 6 1/2-9 1/2 2 1/2-5 1/2 6 1/2-9 1/2	0 0-3 1/2 0-2 1/2 0-3	0-1 1/2 4 1/2-7 3 1/2-7 4-7	5-7 5-7 5-7 5-7
D2AF-NA D2AF-PA D2AF-RA	D2AF-MA	CC CC CC CC	0-1 0-1 0-1 1/2 0-1 1/2	5-8 5-8 6 1/2-9 1/2 7 1/2-10 1/2	5-8 5-8 6 1/2-9 1/2 7 1/2-10 1/2	0-2 0-2 0-2 0-2	2-4 2-4 3 1/2-7 2-4	2-4 2-4 5-7 2-4
D2DF-AA D2DF-CA	D2AF-SA D2DF-BA	CC C C C	0-1 1/2 0-1 0-1 0-1	3-6 1/2 1-4 1/2 1-4 1/2 1-4 1/2	3-6 1/2 4 1/2-7 1/2 4 1/2-7 1/2 4 1/2-7 1/2	0-2 0-4 0-4 0-4	2-4 5-7 5-7 5-7	2-4 5-7 5-7 5-7
D2DF-DA D2MF-EA	D2DF-EA D2DF-FA	C C C CC	0-1 0-1 0-2 1/2 0-1	4 1/2-7 1/2 1-4 1/2 4 1/2-7 1/2 1 1/2-4 1/2	4 1/2-7 1/2 4 1/2-7 1/2 4 1/2-7 1/2 5 1/2-9	0-2 0-4 0-4 0-2 1/2	2-4 5-7 2-4 2-4	2-4 5-7 2-4 2-4
D2OF-AA D2OF-DA	D2MF-FA	CC CC C C	0-1 0-2 1/2 0-3 0-3	1 1/2-4 1/2 6 1/2-9 1/2 6 1/2-9 1/2 6 1/2-9 1/2	8 1/2-11 1/2 10 1/2-12 1/2 6 1/2-9 1/2 6 1/2-9 1/2	0-2 1/2 0-5 0-6 0-4	2-4 5-7 5-7 2-4	2-4 5-7 5-7 2-4
D2OF-HA D2OF-LA D2OF-PA	D2OF-EA	CC CC CC C	0-1 1/2 0-1 1/2 0-2 1/2 0-1	2 1/2-5 1/2 2 1/2-5 1/2 6 1/2-9 1/2 4-7 1/2	2 1/2-5 1/2 2 1/2-5 1/2 10 1/2-12 1/2 6 1/2-9 1/2	0-2 1/2 0-2 1/2 0-4 0-2 1/2	3 1/2-7 3 1/2-7 2-4 4-7	5-7 5-7 2-4 5-7
D2VF-AA D2VF-BA D2ZF-AA	D2OF-RA D2VF-BA	CC CC CC CC	0-1 1/2 0-1 0-1 0-1 1/2	2 1/2-5 1/2 1-4 2 1/2-5 1/2 5 1/4-8 1/2	2 1/2-5 1/2 8 1/2-11 1/2 9-12 10-12	0-2 1/2 0-2 1/2 0-1 0-1	3 1/2-7 3 1/2-7 2-6 2-6	5-7 5-7 5-7 5-7
D2ZF-EA D2ZF-GC D2ZF-JA D2SF-EA	D2ZF-CA D2ZF-FA D2ZF-HA	CC CC CC CC CC	0-1 0-3 0-3 0-2 1/2 0-2 1/2 0-3 0-1	0-2 2 1/2-5 1/2 2 1/2-5 1/2 6 1/2-9 1/2 6 1/2-9 1/2 6-9 1-4	7-10 2 1/2-5 1/2 2 1/2-5 1/2 6 1/2-9 1/2 6 1/2-9 1/2 8 1/2-11 1/2 .....	0-1 1/2 0-4 1/2 0-4 1/2 0-5 0-5 ..... .....	2-4 5-7 5-7 5-7 5-7 5-7 .....	2-4 5-7 5-7 5-7 5-7 5-7 .....

Ⓢ - C (Clockwise), CC (Counterclockwise) viewed from rotor end.

Ⓢ - Part No. stamped on housing.