

## 1965 CHRYSLER CORP. DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)					
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.		
2444254	C	0-2	560	6-8	1080	10.5-12.5	2500	10.5	3-5	5.25-7.5	13
2444255	C	0-2.5	525	8-10	1010	12.5-14.5	2200	9.2	4-7	8.5-11.5	12
2444256	C	0-7	475	6-8	600	12.5-14.5	2200	8.5	3-6	6-8.5	10
2444291	C	0-2	450	1.5-3.5	600	5-7	2200	9.2	4-7	8.5-11.5	12
2444648	C	0-2.5	475	7.5-9.5	960	10.5-12.5	2200	10.5	3-5	5.25-7.5	13
2444794	C	0-2.5	450	7.5-9.5	870	10.5-12.5	1750	12	6-9	10.5-13.5	15
2444795	C	0-2	475	5-7	830	8-10	1750	12	6-9	10.5-13.5	15

① — C(Clockwise), CC(Counterclockwise) viewed from rotor end.

## 1966 CHRYSLER CORP. DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)					
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.		
2444255	C	0-2.5	525	8-10	1010	12.5-14.5	2200	9.2	4-7	8.5-11.5	12
2444256	C	0-7	475	6-8	600	12.5-14.5	2200	8.5	3-6	6-8.5	10
2444291	C	0-2	450	1.5-3.5	600	5-7	2200	9.2	4-7	8.5-11.5	12
2444648	C	0-2.5	475	7.5-9.5	960	10.5-12.5	2200	10.5	3-5	5.25-7.5	13
2642234	C	0-2.5	450	7.5-9.5	870	10.5-12.5	1750	10	5-8	10.5-13.5	13.5
2642238	C	0-2	475	5-7	830	8-10	1750	10	5-8	10.5-13.5	13.5
2642346	C	0-7	500	11.25-13.25	735	15.5-17.5	1900	12	6-9	10.5-13.5	15
2642349	C	0-4	500	10.3-12.3	875	18-20	2500	9.2	4-7	8.5-11.5	12
2642352	C	0-5.5	475	10-12	750	18-20	2500	8.5	3-6	6-8.5	10
2642354	C	0-4.2	500	9.7-11.7	850	15.5-17.5	2200	10.5	3-5.2	5.25-7.5	13
2642356	C	0-8	500	10.4-12.4	690	15.5-17.5	1500	10	5-8	10.5-13.5	13.5
2642371	C	0-4.5	475	9.1-11.1	790	12.5-14.5	2000	9.2	4-7	8.5-11.5	12

① — C(Clockwise), CC(Counterclockwise) viewed from rotor end.

# Ignition Distributors

## 1967 CHRYSLER CORP. DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
2444291	C	0-2	450	1.5-3.5	600	5-7	9.2	8.5-11.5	12
2444648	C	0-2.5	475	7.5-9.5	960	10.5-12.5	10.5	5.25-7.5	13
2642718	C	0-1	480	3-4.25	1000	10.5-12.5	12	10.5-13.5	15
2642721	C	0-2	475	3.75-5.75	780	12.5-14.5	12	10.5-13.5	15
2642724	C	0-5	475	7.75-9.75	600	18-20	14	10.5-13.5	16
2642727	CC	0-2	450	2.5-4.5	700	10.5-12.5	10	10.5-13.5	13.5
2642752	C	0-2	475	7.5-9.5	960	10.5-12.5	8.5	6-8.5	10
2642755	C	0-4.5	475	6.75-8.75	700	12.5-14.5	8.5	6-8.5	10
2642758	C	0-2.5	525	8-10	1010	12.5-14.5	8.9	7-10	10.5
2642786	C	0-3.7	500	12.2-14.2	990	17-19	9.2	8.5-11.5	12
2642792	C	0-3	500	9-11	925	12.5-14.5	12.5	6.5-8.5	16.2
2642795	C	0-4.5	475	8-10	750	12.5-14.5	8.5	6-8.5	10
2642810	CC	0-4	550	5.5-7.5	750	14.5-16.5	12	11.5-14.5	16.5
2642949	CC	0-6.5	525	7.8-9.8	710	14.5-16.5	12	11.5-14.5	16.5

① — C(Clockwise), CC(Counterclockwise) viewed from rotor end.

## 1968 CHRYSLER CORP. DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
2875199	C	0-3.7	500	12.2-14.2	900	17-19	8.5	6-8.5	10
2875202	C	0-6.7	500	9.2-11.2	710	14-16	8.5	6-8.5	10
2875206	C	0-2.5	475	7.5-9.5	960	10.5-12.5	10.5	5.25-7.5	13
2875338	C	0-2	475	3.75-5.75	780	12.5-14.5	12	10.5-13.5	15
2875340	C	0-1.3	525	1-3	700	10.5-12.5	12	10.5-13.5	15
2875342	C	0-5	475	7.75-9.75	700	18-20	12.2	8.25-10.75	15
2875352	CC	0-6	525	9.75-11.75	760	18-20	10	10.5-13.5	13.5
2875354	CC	0-3.8	475	7-9	750	14.5-16.5	10	10.5-13.5	13.5
2875364	C	0-3.7	500	9.2-11.2	870	12.5-14.5	11.9	3.7-6.2	13.8
2875366	C	0-3.7	500	9.2-11.2	870	12.5-14.5	10	10.5-13.5	13.5

① — C(Clockwise), CC(Counterclockwise) viewed from rotor end.

## 1969 CHRYSLER CORP. DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)						Vacuum Advance (Distr. Deg. & In. of Hg.)					
		Deg.		RPM		Deg.		RPM		Deg.		In. Hg.	
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
2875742	CC	1-9.5	550	11-13	800	21-23	2350	2-5.5	8.5	10.5-13.5	13.5		
2875747	CC	1-6	500	8-10	750	17-19	2300	2-5.5	8.5	10.5-13.5	13.5		
2875796	C	1.5-6.5	550	7.5-9.5	850	17-19	2400	1-4	10.5	8.25-10.75	15		
2875804	C	.5-3.5	500	7-9	900	15-17	2250	1-4.5	9.5	10.5-13.5	15		
2875814	C	2-6	600	12.5-14.5	1100	17-19	2200	1-4	7.5	6-8.5	10		
2875822	C	1-5	550	9.5-11.5	1000	12-14	2000	.5-3.5	10	5.25-7.75	16		
2875823	C	1-5	550	9.5-11.5	1000	12-14	2000	.5-3.5	10	5.25-7.75	16		
2875827	C	1-5	550	9.5-11.5	1000	12-14	2000	.5-3.5	7	5.25-7.75	10		
2875856	C	1-8	550	9-11	900	14-16	2200	1-4	7.5	6-8.5	10		
3438237	C	0-7.5	525	9.3-11.3	750	12-14	1600	.5-3.5	7	5.25-7.75	10		

① — C(Clockwise), CC(Counterclockwise) viewed from rotor end.

## 1970 CHRYSLER CORP. DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)						Vacuum Advance (Distr. Deg. & In. of Hg.)					
		Deg.		RPM		Deg.		RPM		Deg.		In. Hg.	
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
2875742	CC	1-9.5	550	11-13	800	21-23	2350	2-5.5	8.5	10.5-13.5	13.5		
2875747	CC	1-6	500	8-10	750	17-19	2300	2-5.5	8.5	10.5-13.5	13.5		
2875796	C	1.5-6.5	550	7.5-9.5	850	17-19	2400	1-4	10.5	8.25-10.75	15		
2875804	C	.5-3.5	500	7-9	900	15-17	2250	1-4.5	9.5	10.5-13.5	15		
2875823	C	1-5	550	9.5-11.5	1000	12-14	2000	.5-3.5	10	5.25-7.75	16		
2875827	C	1-5	550	9.5-11.5	1000	12-14	2000	.5-3.5	7	5.25-7.75	10		
3438238	C	0-7.5	525	9.3-11.3	750	12-14	1600	.5-3.5	7	5.25-7.75	10		

① — C(Clockwise), CC(Counterclockwise) viewed from rotor end.

# Ignition Distributors

## 1971 CHRYSLER CORP. DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot <sup>⊙</sup>	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
2875804	C	5-3.5	500	7-9	900	15-17	9.5	10.5-13.5	15
2875822	C	1-5	550	9.5-11.5	1000	12-14	10	5.25-7.75	16
2875826	C	1-5	550	9.2-11.2	900	12-14	7	5.25-7.75	10
3438225	C	1-6	550	8.5-10.5	800	14-16	12	8.25-10.75	15
3438231	CC	0-3.8	550	7.5-9.5	850	14-16	7.5	9.3-11.8	12
3438237	C	0-7.5	525	9.3-11.3	750	12-14	7	5.25-7.75	10
3438255	C	1-6	550	8.5-10.5	800	14-16	10.5	8.25-10.75	15
3438442	C	5-3.5	800	8-10.5	1200	12-14	7	5.25-7.75	10
3438453	C	0-4	600	8-10.5	1000	14-16	9.5	8-10.5	15
3438509	C	1-6.5	550	8-10	750	12-14	7	6-8.5	11
3438524	C	2-6	700	8.5-10.5	900	12-14	7	5.25-7.75	10
3438534	CC	1-4.5	600	5-7	800	12-14	9	8-10	15
3438544	CC	5-3.5	700	5-7.5	900	12-14	9	8-10	15
3656252	C	5-4.5	550	9-11	900	12-14	10	5-8	15
3656257	C	5-4.5	550	9-11	900	12-14	7	5-7.5	9.5
3656672	C	0-2	500	5-7.5	800	11.5-14	10	7.5-9.5	14.5
3755160	C	0-3.5	500	9-11	950	13.5-15.5	9.5	7-10	14

⊙ - C(Clockwise), CC(Counterclockwise) viewed from rotor end.

## 1972 CHRYSLER CORP. DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot <sup>⊙</sup>	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
3438509	C	1-6.5	550	8-10	750	12-14	7	6-8.5	11
3438524	C	2-6	700	8.5-10.5	900	12-14	7	5.25-7.75	10
3656252	C	5-4.5	550	9-11	900	12-14	10	5-8	15
3656257	C	5-4.5	550	9-11	900	12-14	7	5-7.5	9.5
3656260	C	5-3.5	700	9-11.5	1150	12-14	10	5-8	15
3656266	C	5-3.5	700	9-11.5	1150	12-14	7	5-7.5	9.5
3656272	C	1-6	550	8-10.5	800	14-16	9.5	8-10.5	15
3656275	C	0-4	600	9-11	1000	14-16	9.5	8-10.5	15

# Ignition Distributors

## 1972 CHRYSLER CORP. DISTRIBUTOR ADVANCE SPECIFICATIONS (Cont.) NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)					
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.		
3656287	C	.5-3.5	550	5.5-7.5	850	12-14	2200	.5-3	10	8-10.5	16
3656294	C	.5-4	550	7-9	900	14-16	2200	2-4	10	8-10.5	15
3656329	CC	1-5	650	8-10	900	12-14	2000	1-4	10.5	8-10.5	15.5
3656667	C	0-2	500	6.5-9	850	13.5-15	1950	.5-3	9	9.5-12.5	15
3656672	C	0-2	500	5-7.5	800	11.5-14	2150	.5-3.5	10	7.5-9.5	14.5
3755037	C	.5-4.5	550	9-11	900	12-14	2000	.5-3	9.5	7-14	15
3755042	C	.5-4.5	550	9-11	900	12-14	2000	.5-3	7.25	7-10	11
3755160	C	0-3.5	500	9-11	950	13.5-15	2000	1-3.5	9.5	7-10	14.5
3755205	CC	1-3.5	550	8-10.5	900	11.5-14	1900	1-4.5	7.5	7.5-10.5	11.5

① - C(Clockwise), CC(Counterclockwise) viewed from rotor end.

## 1973 CHRYSLER CORP. DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)					
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.		
3656252	C	.5-4.5	550	9-11	900	12-14	2000	.5-3.5	10	5-8	15
3656257	C	.5-4.5	550	9-11	900	12-14	2000	.5-3	7	5-7.5	9.5
3656272	C	1-6	550	8-10.5	800	14-16	2100	1-4	9.5	8-10.5	15
3656287	C	.5-3.5	550	5.5-7.5	850	12-14	2200	.5-3	10	8-10.5	16
3656667	C	0-2	500	6.5-9	850	13-15	1950	.5-3	9	9.5-12.5	15
3656672	C	0-2	500	5-7.5	800	11.5-14	2150	.5-3.5	10	7.5-9.5	14.5
3656763	C	1-4.5	525	6.5-8.5	750	13-15	1900	.5-3	9	9.5-12.5	15
3656780	C	.5-3.5	500	10-12.5	800	13-15	1750	.5-3	9	9.5-12.5	15
3656791	CC	.5-3.5	550	8-10.5	850	13-15	1950	1-4	10.5	8-10.5	15.5
3755037	C	.5-4.5	550	9-11	900	12-14	2000	.5-3	9.5	7-10	15
3755042	C	.5-4.5	550	9-11	900	12-14	2000	.5-3	7	7-10	11
3755056	C	0-3	500	4.5-7	700	11.5-14	2100	0-4	10.5	5-8	12
3755062	C	.5-4.5	550	9-11	900	12-14	2000	.5-3.5	10	5-8	15
3755071	C	.5-4.5	550	9-11	900	12-14	2000	.5-3	7	5-7.5	9.5
3755157	CC	.5-4	650	6-8	950	10-12.5	2500	1-4	10.5	8-10.5	15.5
3755160	C	0-3.5	500	9-11	950	13.5-15	2000	1-3.5	9.5	7-10	14
3755205	CC	1-3.5	550	8-10.5	900	11.5-14	1900	1-4.5	7.5	7.5-10.5	11.5
3755336	C	0-2.5	600	6.5-8.5	900	9.5-12.5	2000	.5-3	9	9.5-12.5	15
3755365	C	.5-4	550	8-10	800	12-14	2000	.5-3	9	12-14	15

① - C(Clockwise), CC(Counterclockwise) viewed from rotor end.

# Ignition Distributors

## 1974 CHRYSLER CORP. DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)					
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.		
3656672	C	5-3.5	550	5-7.5	800	11.5-14	2200	.5-2.5	10	7.5-9.5	15
3656763	C	1.5-5.5	550	6-8.5	700	13.5-16	2100	.5-2.5	9	9.5-12.5	15.5
3755042	C	1-4	550	9-11.5	900	11.5-14	2000	.5-2.5	7	7-10	11.5
3755056	C	1-4.5	550	4.5-7	700	11.5-14	2200	0-4	10.5	5-8	12.5
3755150	CC	1-4.5	650	8-10.5	950	11.5-14	2000	1-4	10.5	8-10.5	15.5
3755157	CC	.5-3.5	650	5.5-8	900	9.5-12	2000	1-4	10.5	8-10.5	15.5
3755201	C	.5-3	550	2.5-5	700	11.5-14	2150	.5-2.5	10	7.5-9.5	15
3755467	C	.5-3.5	550	7-9.5	950	12-14	2000	.5-2	9	7-10	15.5
3755470	C	.5-3.5	550	7-9.5	950	12-14	2000	.5-2.5	7	7-10	11.5
3755475	C	.5-4	550	8-10.5	800	11.5-14	2000	.5-2.5	7	10-12	12.5
3755518	CC	.5-3.5	650	5.5-8	900	9.5-12	2000	.5-2.5	8	9-11	14
3755522	CC	.5-3	650	4-6.5	900	8-10	2000	.5-2.5	8	9-11	14
3755681	CC	1-4.5	650	8.5-11	950	13.5-16	2150	.5-2.5	8	9-11	14
3755820	C	1-3.5	700	7-9.5	1050	11-13.5	2400	1-3	9	7.5-9.5	13
3755821	C	1-4.5	600	6-9	850	13.5-16	2050	.5-2.5	9	9.5-12.5	15.5
3755825	C	.5-3.5	650	6-9	1000	12-14	2000	.5-2	9	7-10	15.5
3755841	C	1-4.5	650	8-10.5	950	11.5-14	2000	.5-2.5	7	10-12	12.5

① — C(Clockwise), CC(Counterclockwise) viewed from rotor end.