

# Ignition Distributors

## 1965 DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS NOTE — FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
1110280	C	0-2	450	6.5-8.5	750	14-16	5-7	11.5	11-13.5
1110292	C	.5-2.5	400	9.5-11.5	1300	13-15	5-7	11.5	11-13.5
1110293	C	0-2	375	5-7	700	12-14	5-7	11.5	11-13.5
1110302	C	.5-2.5	400	9.5-11.5	1300	13-15	6-8	11.5	15-17.25
1110317	C	0-2	400	10-12	1000	14-16	5-7	9	19-20.5
1110318	C	.5-2.5	500	12-14	1250	....	6-8	11.5	15-17.5
1110322	C	.5-2.5	500	7-9	900	12-14	6-8	8	14.5-15.75
1110340	C	.5-2.5	500	7-9	950	13	5-7	11	16.5
1111015	C	0-2	450	9-11	1200	14-16	7-9	8	15-16
1112111	C	0-2	600	9-11	1200	14-16	5-7	6-9	11-13
1112416	C	.5-2.5	300	7-9	800	11-13	....	....	....
1112422	C	.5-2.5	300	7-9	800	11-13	....	....	....
1112424	C	0-2	225	11-13	800	13-15	....	....	....
1112440	C	8-10	400	11-13	800	13-15	....	....	....

① — C(Clockwise). CC(Counterclockwise) viewed from rotor end.

# Ignition Distributors

## 1966 DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot <sup>⊙</sup>	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)					
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.		
1110317	C	0-2	400	10-12	1000	14-16	1700	0	5-7	9	19-20.5
1110320	C	0-3	500	8-10.5	1000	13-15	2200	0	5-7	11	15.5-17
1110342	CC	.5-2.5	500	7-9	900	12-14	2100	0	6-8	8.5	14.5-15.75
1110351	CC	0-2.5	500	6.5-8.5	800	13-15	1400	0	5-7	10	14.2-14.5
1110360	CC	0-4	500	3.5-5.5	600	12-14	1150	0	5-7	10	14.2-14.5
1110361	CC	0-4	500	3.5-5.5	600	12-14	1150	0	5-7	10	14.2-14.5
1110362	CC	2-5.5	570	6.5-8.5	750	14-16	1600	0	5-7	10	14.2-14.5
1110363	CC	2-5.5	570	6.5-8.5	750	14-16	1600	0	5-7	10	14.2-14.5
1110364	CC	0-2	500	2-4	600	12-14	1250	0	6-8	11.5	15.5-17
1111025	CC	0-2	350	7.5-9.5	775	17-19	1900	0	5-7	10	14.25-15.75
1111151	C	0-2	600	3.5-5.5	900	8-10	2100	0	8-10	9	17.2-19
1111152	CC	0-3	500	6.5-8.5	750	12-14	2050	0	7-9	8	15-16
1112416	C	.5-2.5	300	7-9	800	11-13	1100	...	.....	.....	.....
1112422	C	.5-2.5	300	7-9	800	11-13	1100	...	.....	.....	.....
1112424	C	0-2	225	11-13	800	13-15	1050	...	.....	.....	.....
1112440	C	8-10	400	11-13	800	13-15	1050	...	.....	.....	.....

⊙ — C(Clockwise), CC(Counterclockwise) viewed from rotor end.

# Ignition Distributors

## 1967 DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ⊙	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)					
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.		
1110317	C	0-2	400	10-12	1000	14-16	1700	0	5-7	9	19-20.5
1110320	C	0-3	500	8-10.5	1000	13-15	2200	0	5-7	11	15.5-17
1110322	C	.5-2.5	500	7-9	900	12-14	2100	0	6-8	8	14.5-15.75
1110351	CC	0-2.5	500	6.5-8.5	800	13-15	1400	0	5-7	10	14.2-14.5
1110359	CC	0-2	510	6.5-8.5	1100	10-12	1750	0	3-5	9	7-9
1110362	CC	2-5.5	570	6.5-8.5	750	14-16	1600	0	5-7	10	14.2-14.5
1110363	CC	2-5.5	570	6.5-8.5	750	14-16	1600	0	5-7	10	14.2-14.5
1110364	CC	0-2	500	2-4	600	12-14	1250	0	6-8	11.5	15.5-17
1110366	CC	0-2.8	360	9.5-11.5	950	14-16	2075	0	5-7	11	15.5-17
1110375	CC	0-3.6	500	5.1-7.2	640	14-16	1225	0	6-8	11.5	15.5-17
1110376	CC	.5-2.5	500	7-9	900	12-14	2100	0	6-8	8.5	14.5-15.75
1110378	CC	0-2	475	8-10	1050	10-12	2400	0	4-6	7.5	9.25-10.25
1110381	CC	0-6.5	500	10-12	650	19-21	1500	0	5-7	7.5	10.75-12
1110387	CC	0-2	550	7.5-9.5	1050	12-14	2000	0	5-7	10	14.2-14.5
1110390	CC	0-2	550	7.5-9.5	1050	12-14	2000	0	5-7	10	14.2-14.5
1110395	CC	0-2.5	500	6.5-8.5	800	13-15	1400	0	5-7	10	14.2-14.5
1110427	C	1-3	400	.....	.....	10-12	1125	0	6-8	7.5	13.3-13.5
1110428	C	0-6	400	9-11	550	13-15	1050	0	6-8	7.5	13.3-13.5
1110429	C	0-5.3	400	4.7-6.6	500	12-14	1000	0	6-8	7.5	13.3-13.5
1111025	CC	0-2	350	7.5-9.5	775	17-19	1900	0	5-7	10	14.25-15.75
1111114	CC	0-5.7	500	8-10	640	19-21	2000	0	7-9	8	15-16
1111150	CC	0-2.5	425	8.6-10.6	770	14-16	1850	0	7-9	8	15-16
1111249	CC	0-2	500	4.5-6.5	750	12-14	2050	0	7-9	8	15-16

⊙ - C(Clockwise), CC(Counterclockwise) viewed from rotor end.

# Ignition Distributors

## 1968 DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ⊙	Automatic Advance (Distr. Degrees & RPM)						Vacuum Advance (Distr. Deg. & In. of Hg.)					
		Deg.		RPM	Deg.		RPM	Deg.		In. Hg.	Deg.		In. Hg.
		0-2	0-3	400	0-12	1000	14-16	1700	0	5-7	9	19-20.5	
1110317	C	0-2	0-3	400	0-12	1000	14-16	1700	0	5-7	9	19-20.5	
1110320	C	0-2	0-3	500	8-10.5	1000	13-15	2200	0	5-7	11	15.5-17	
1110359	CC	0-2	0-3	510	6.5-8.5	1100	10-12	1750	0	3-5	9	7-9	
1110366	CC	0-2.8	0-3	360	9.5-11.5	950	14-16	2075	0	5-7	11	15.5-17	
1110399	CC	1.5-3.5	0-3	600	7.5-9.5	975	13-15	2100	0	6-8	11.5	15.5-17	
1110427	C	1-3	0-6	400	.....	.....	10-12	1125	0	6-8	7.5	13.3-13.5	
1110428	C	0-6	0-5.3	400	9-11	550	13-15	1050	0	6-8	7.5	13.3-13.5	
1110429	C	0-5.3	0-6.2.6	400	4.7-6.6	500	12-14	1000	0	6-8	7.5	13.3-13.5	
1110433	CC	0-2.8	0-3.8	600	7.5-9.5	1050	15-17	2300	0	6-8	11.5	15.5-17	
1110436	CC	0-3.8	0-3	550	9.5-11.5	1050	17-19	2300	0	6-8	11.5	15.5-17	
1110437	CC	0-2.6	0-3.8	600	7.5-9.5	1050	15-17	2300	0	6-8	11.5	15.5-17	
1110438	CC	0-3.8	0-3	550	9.5-11.5	1050	17-19	2300	0	6-8	11.5	15.5-17	
1110439	CC	0-3	1.5-3.5	500	9.5-11.5	975	15-17	2100	0	6-8	11.5	15.5-17	
1110440	CC	1.5-3.5	0-3	600	7.5-9.5	975	13-15	2100	0	6-8	11.5	15.5-17	
1110441	CC	0-3	0-1.9	500	9.5-11.5	975	15-17	2100	0	6-8	11.5	15.5-17	
1110442	CC	0-1.9	0-1.7	500	8.5-10.5	1000	13-15	2100	0	6-8	11.5	15.5-17	
1110445	CC	0-1.7	0-2	500	9-11	1050	13-15	1750	0	7-9	5	14.7-15	
1110446	CC	0-2	0-2	510	6.5-8.5	1100	10-12	1750	0	7-9	5	14.7-15	
1111025	CC	0-2	0-2	350	7.5-9.5	775	17-19	1900	0	5-7	10	14.25-15.75	
1111130	C	1-3	0-2	350	9.7-11.7	750	19-21	1850	0	5-7	10	14.25-15.75	
1111150	CC	0-2.5	0-2.7	425	8.6-10.6	770	14-16	1850	0	7-9	8	15-16	
1111169	CC	0-2.7	0-2	500	7.5-9.5	1000	15-17	2500	0	7-9	8	15-16	
1111257	CC	0-2	0-2	600	4-6	800	13-15	2150	0	5-7	8	11.2-12.7	
1111297	CC	1.5-3.5	0-3	600	7.5-9.5	950	14-16	2050	0	9-11	8	16.5-17.5	
1111298	CC	0-3	0-2	500	10-12	1000	16-18	2050	0	7-9	8	15-16	
1111305	CC	0-2	0-2.7	425	8-10	1600	11-13	2300	0	.....	.....	.....	
1111439	CC	0-2.7	0-2	600	6.7-8.7	850	15-17	2200	0	5-7	8	11.2-12.7	
1111474	CC	0-2	1.3-3.3	470	9.5-11.5	890	15-17	2300	0	6-8	8.5	14.5-16	
1111964	CC	1.3-3.3	0-2	600	6.5-8.5	900	13-15	2400	0	6-8	8.5	14.5-16	
1112795	CC	0-2	0-2	425	4.5-6.5	800	11-13	2300	0	.....	.....	.....	

⊙ — C(Clockwise), CC(Counterclockwise) viewed from rotor end.

# Ignition Distributors

## 1969 DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)					
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.		
1110340	CC	5-2.5	500	7-9	950	12-14	2200	0	5-7	11	15.5-17
1110444	CC	0-3	350	8-10	1000	12-14	2000	0	5-7	11	15.5-17
1110463	CC	0-3	500	9.5-11.5	975	13-15	2100	0	6-8	11.5	15.5-17
1110464	CC	1.5-3.5	600	7.5-9.5	975	13-15	2100	0	6-8	11.5	15.5-17
1110465	CC	0-3	500	9.5-11.5	975	15-17	2100	0	6-8	11.5	15.5-17
1110466	CC	1.5-3.5	600	7.5-9.5	975	13-15	2100	0	6-8	11.5	15.5-17
1110467	CC	0-3	500	10.5-12.5	1000	13-15	2100	0	6-8	11.5	15.5-17
1110468	CC	0-1.9	500	8.5-10.5	1000	13-15	2100	0	6-8	11.5	15.5-17
1110471	CC	0-2	400	10-12	1000	14-16	1700	0	5-7	12.5	17-19.5
1110472	CC	0-1.7	500	9-11	1050	13-15	1750	0	7-9	5	14.7-14.9
1110479	CC	0-3.5	450	8-10	1000	12-14	2000	0	5-7	11.5	15.5-17
1110497	CC	0-2	600	6-8	1000	13-15	2200	0	5-7	7.5	10-10.75
1111025	CC	0-2	350	7.5-9.5	775	17-19	1900	0	5-7	10	14.25-15.75
1111130	C	1-3	350	9.7-11.7	750	19-21	1850	0	5-7	10	14.25-15.75
1111197	CC	0-2	350	6-8	650	13-15	2100	0	3-5	7	8.75-10.25
1111316	CC	0-2	350	6-8	650	13-15	2100	0	3-5	7	8.75-10.25
1111320	CC	0-2	380	4-6	700	10.5-12.5	2000	0	5-7	8	11.25-12.75
1111481	CC	7-2.7	600	4-6	800	13-15	2150	0	5-7	8	11.2-12.7
1111486	CC	0-2.5	500	6.5-8.5	900	17-19	2050	0	6-8	13	16-17.5
1111487	CC	0-2	550	3-5	700	15-17	2200	0	6-8	13	16-17.5
1111495	CC	9-2.9	600	6-8	1000	13-15	2050	0	7-9	8	15-16
1111500	CC	1.5-3.5	600	6.5-8.5	1000	13-15	2100	0	7-9	8	15-16
1111955	CC	2.1-4.1	700	7.5-9.5	1050	13-15	2250	0	6-8	13	16-17.5
1111956	CC	0-3.5	550	9.5-11.5	1000	15-17	2200	0	6-8	13	16-17.5

① - C(Clockwise), CC(Counterclockwise) viewed from rotor end.

# Ignition Distributors

## 1970 DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rotor ⓐ	Automatic Advance (Distr. Degrees & RPM)						Vacuum Advance (Distr. Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
		1110376	CC	.5-2.5	500	7-9	900	12-14	2100	0	6-8
1110463	CC	0-3	500	9.5-11.5	975	13-15	2100	0	6-8	11.5	15.5-17
1110464	CC	1.5-3.5	600	7.5-9.5	975	13-15	2100	0	6-8	11.5	15.5-17
1110465	CC	0-3	500	9.5-11.5	975	15-17	2100	0	6-8	11.5	15.5-17
1110466	CC	1.5-3.5	600	7.5-9.5	975	13-15	2100	0	6-8	11.5	15.5-17
1110467	CC	0-3	500	10.5-12.5	1000	13-15	2100	0	6-8	11.5	15.5-17
1110468	CC	0-1.9	500	8.5-10.5	1000	13-15	2100	0	6-8	11.5	15.5-17
1110479	CC	0-3.5	450	8-10	1000	12-14	2000	0	5-7	11.5	15.5-17
1110481	CC	0-2	437	7-9	1050	11-13	2750	0	5-7	9	13.5-14.25
1110497	CC	0-2	600	6-8	1000	13-15	2200	0	5-7	7.5	10-10.75
1110912	CC	0-2	600	5-7	1100	11-13	2150	0	7-9	10.3	16.5-17.8
1111197	CC	0-2	350	6-8	650	13-15	2100	0	3-5	7	8.25-10.75
1111316	CC	0-2	350	6-8	650	13-15	2100	0	3-5	7	8.75-10.25
1111320	CC	0-2	380	4-6	700	10.5-12.5	2000	0	5-7	8	11.25-12.75
1111466	C	0-2	650	6.5-8.5	1300	11-13	2000	0	6-8	13	16-17.5
1111481	CC	.7-2.7	600	4-6	800	13-15	2150	0	5-7	8	11.2-12.7
1111500	CC	1.5-3.5	600	6.5-8.5	1000	13-15	2100	0	7-9	8	15-16
1111955	CC	2.1-4.1	700	7.5-9.5	1050	13-15	2250	0	6-8	13	16-17.5
1111964	CC	1.3-3.3	600	6.5-8.5	900	13-15	2400	0	6-8	8.5	14.5-16

ⓐ — C(Clockwise), CC(Counterclockwise) viewed from rotor end.

# Ignition Distributors

## 1971 DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)					
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.		
1110340	CC	.5-2.5	500	7-9	950	12-14	2200	0	5-7	11	15.5-17
1110465	CC	0-3	500	9.5-11.5	975	15-17	2100	0	6-8	11.5	15.5-17
1110466	CC	1.5-3.5	600	7.5-9.5	975	13-15	2100	0	6-8	11.5	15.5-17
1110479	CC	0-3.5	450	8-10	1000	12-14	2000	0	5-7	11.5	15.5-17
1110481	CC	0-2	437	7-9	1050	11-13	2750	0	5-7	9	13.5-14.25
1110486	CC	.5-2.5	600	7.5-9.5	1050	13-15	2000	0	8-10	9	15.5-16.3
1110489	CC	0-2	650	6-8	1150	11-13	2050	0	7-9	11.5	15-16.5
1110497	CC	0-2	600	6-8	1000	13-15	2200	0	5-7	7.5	10-10.75
1111948	CC	0-2.5	450	8.5-10.6	805	14-16	2200	0	4-6	12	18-19.3
1111964	CC	1.3-3.3	600	6.5-8.5	900	13-15	2400	0	6-8	8.5	14.5-16
1112028	CC	.5-3	500	5-7	750	14-16	2300	0	4-6	12	18-19.3
1112040	CC	0-2	650	.....	.....	9-11	2100	0	7-9	10	16-18
1112041	CC	0-2	600	5-7	1000	11-13	2150	0	7-9	10	16-18
1112043	CC	0-2	600	4.5-6.5	1050	9-11	2100	0	7-9	8	16-18
1112046	CC	0-2	550	4-6	900	10-12	2100	0	7-9	8	16-18
1112047	CC	0-2	650	4.5-6.5	1200	8-10	2100	0	7-9	8	16-18
1112064	CC	0-2	630	7-9	1200	14-16	2200	0	7-9	10	16-18

① - C(Clockwise), CC(Counterclockwise) viewed from rotor end.

## 1972 DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)				Vacuum Advance (Distr. Deg. & In. of Hg.)					
		Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.		
1110486	CC	.5-2.5	600	7.5-9.5	1050	13-15	2000	0	8-10	9	15.5-16.3
1110489	CC	0-2	650	6-8	1150	11-13	2050	0	7-9	11.5	15-16.5
1110493	CC	0-3	550	7.5-10	900	15-17	2200	0	7-9	11.5	15-16.5
1110497	CC	0-2	600	6-8	1000	13-15	2200	0	5-7	7.5	10-10.75
1110498	CC	0-2	650	6-8	1150	11-13	2050	0	7-9	8	12-14
1112040	CC	0-2	650	.....	.....	9-11	2100	0	7-9	10	16-18
1112041	CC	0-2	600	5-7	1000	11-13	2150	0	7-9	10	16-18
1112043	CC	0-2	600	4.5-6.5	1050	9-11	2100	0	7-9	8	16-18
1112046	CC	0-2	550	4-6	900	10-12	2100	0	7-9	8	16-18
1112047	CC	0-2	650	4.5-6.5	1200	8-10	2100	0	7-9	8	16-18
1112064	CC	0-2	630	7-9	1200	14-16	2200	0	7-9	10	16-18
1112111	CC	0-2	600	9-11	1200	14-16	2200	0	5-7	8	11.2-12.7

① - C(Clockwise), CC(Counterclockwise) viewed from rotor end.

# Ignition Distributors

## 1973 DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)						Vacuum Advance (Distr. Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
1110486	CC	.5-2.5	600	7.5-9.5	1050	13-15	2000	0	8-10	9	15.5-16.3
1110489	CC	0-2	650	6-8	1150	11-13	2050	0	7-9	11.5	15-16.5
1110493	CC	0-3	550	7.5-10	900	15-17	2200	0	7-9	11.5	15-16.5
1110497	CC	0-2	600	6-8	1000	13-15	2200	0	5-7	7.5	10-10.75
1110499	CC	0-2	650	6-8	1150	11-13	2050	0	6-8	12	14.5-15.5
1110500	CC	0-2	650	6-8	1150	11-13	2050	0	6-8	12	14.5-15.5
1110518	CC	0-2	650	6-8	1150	11-13	2050	0	9-11	5	12.75-13.25
1110522	CC	0-2	500	7-9	950	12-14	2200	0	5-7	8	11.25-12.75
1110523	CC	0-2	600	6-8	1000	13-15	2200	0	5-7	8	11.25-12.75
1112093	CC	0-2	650	4.5-6.5	1200	8-10	2100	0	5-7	7.5	13-14
1112094	CC	0-2	750	.....	.....	6-8	2100	0	5-7	7.5	13-14
1112096	CC	0-2	600	7.5-9.5	1300	11-13	2100	0	9-11	5	14.5-15.5
1112097	CC	0-2	700	7.5-9.5	1450	10-12	2100	0	7-9	5	12.25-13.5
1112112	CC	0-2	500	7-10	1000	12-14	2000	0	5-7	8	11.2-12.7
1112113	CC	0-2	650	4.5-6.5	1200	8-10	2100	0	5-7	10	14.25-15.75
1112172	C	0-2	550	3-6	1000	7-9	1700	0	8-10	12.5	18.5-20.5
1112179	CC	0-3	500	7-10	900	15-17	2200	0	5-7	8	11.2-12.7
1112214	CC	0-2	450	6.5-8.5	700	15-17	2200	0	4-6	7.5	11.75-13
1112215	CC	0-3	450	4-6	600	14-16	2200	0	4-6	7.5	11.75-13
1112227	CC	0-2	600	5-7	1100	11-13	2150	0	5-7	8	11.25-12.75
1112504	CC	0-2	650	4.5-6.5	1200	8-10	2100	0	7-9	8	16-18

① - C(Clockwise), CC(Counterclockwise) viewed from rotor end.

# Ignition Distributors

## 1974 DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Automatic Advance (Distr. Degrees & RPM)						Vacuum Advance (Distr. Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
1110497	CC	0-2	600	6-8	1000	13-15	2200	0	5-7	7.5	10-10.75
1110499	CC	0-2	650	6-8	1150	11-13	2050	0	6-8	12	14.5-15.5
1110500	CC	0-2	650	6-8	1150	11-13	2050	0	6-8	12	14.5-15.5
1110518	CC	0-2	650	6-8	1150	11-13	2050	0	9-11	5	12.75-13.25
1110520	C	0-2	550	6-8	1150	10-14	2050	0	9-11	5	12.7-13.5
1110525	C	0-2	550	6-8	1150	10-14	2050	0	9-11	5	12.7-13.5
1110529	C	0-2	500	7-9	1000	12-14	2300	0	5-7	6.5-9	12.75-13
1112082	C	0-2	550	3-6	1000	7-9	1700	0	8-10	12.5	18.5-20.5
1112093	CC	0-2	650	4.5-6.5	1200	8-10	2100	0	5-7	7.5	13-14
1112094	CC	0-2	650	9-12	1200	13-15	2500	0	7-9	10	16-18
1112097	CC	0-2	700	7.5-9.5	1450	10-12	2100	0	7-9	5	12.25-13.5
1112112	CC	0-2	500	7-10	1000	12-14	2000	0	5-7	8	11.2-12.7
1112113	CC	0-2	650	4.5-6.5	1200	8-10	2100	0	5-7	10	14.25-15.75
1112179	CC	0-3	500	7-10	900	15-17	2200	0	5-7	8	11.2-12.7
1112215	CC	0-3	450	4-6	600	14-16	2200	0	4-6	7.5	11.75-13
1112504	CC	0-2	650	4.5-6.5	1200	8-10	2100	0	7-9	8	16-18
1112543	C	0-2	500	6.5-8.5	1200	10-12	2100	0	5-7	7.5	13-14
1112832	C	0-2	500	.....	.....	6-8	2100	0	2-4	7	7.5-8.5
1112843	C	0-2	550	4.5-6.5	1200	8-10	2100	0	5-7	7	7.5-8.5
1112844	C	0-2	500	.....	.....	9-11	2100	0	2-4	7	7.5-8.5

① - C(Clockwise), CC(Counterclockwise) viewed from rotor end.