

1976 DISTRIBUTOR SPECIFICATIONS

DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS (Cont.)

NOTE — FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2

Distributor Part No.	Rot ⊙	Automatic Advance (Distr. Degrees & RPM)						Vacuum Advance (Distr. Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
1103200	C	0	600	7.5	800	8	1000	0	4	5	8
1103202	C	0	300	6	650	10	1400	0	5.5	10.5	14
1103203	C	0	500	4	800	7.5	1400	0	8	7.5	15.5
1103204	CC	0	325	9.5	1200	14	2200	0	6	10	15
1103205	CC	0	600	2	700	8	2200	0	7	10	11
1103206	CC	0	600	2	700	8.5	1800	0	7	10	11
1103207	CC	0	500	5.5	1000	7	2200	0	8	10	15
1103208	CC	0	325	9.5	1200	14	2200	0	6	9	10
1103209	C	0	600	4	1000	11	2000	0	4	5	8
1103211	CC	0	325	9.5	1200	14	2200	0	6	7	9
1103216	CC	0	600	2	700	10	1900	0	5	10	12
1110654	C	0	600	4	1000	10	2400	0	4	7	8
1110655	C	0	600	4	1000	10	2400	0	5	6	12
1110657	C	0	600	4	1000	10	2400	0	5	12	12
1110658	C	0	600	4	1000	10	2400	0	5	13	14.5

⊙ — C (Clockwise), CC (Counterclockwise) viewed from rotor end.

DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS (Cont.)

NOTE — FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BELOW BY 2.

Distributor Part No.	Rot ⊙	Automatic Advance (Distr. Degrees & RPM)						Vacuum Advance (Distr. Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
1110659	C	0	750	1	800	8	2400	0	4	13	12
1110661	C	0	525	3	1000	8	2050	0	6	9	10
1110662	C	0	550	7	1150	12	2050	0	4	9	12
1110666	C	0	500	3.5	800	10	2100	0	4	12	15
1110668	C	0	638	8	1600	0	6	12	12
1112495	CC	0	550	7	1100	4	2200	0	7	12.5	12
1112497	CC	0	600	2	700	10	1900	0	5	12.5	11
1112500	CC	0	600	3	800	10	2200	0	7	12.5	12
1112862	C	0	450	2.5	1000	11	2400	0	5	10	14
1112863	C	0	363	4.5	1300	8	2200	0	4	9	12
1112880	C	0	600	6	1000	11	2100	0	4	9	12
1112882	C	0	500	4	800	7.5	1400	0	8	7.5	15.5
1112886	C	0	750	6	2100	0	4	9	7
1112888	C	0	550	8	1200	11	2300	0	4	9	12
1112897	C	0	330	7	1400	10	2500	0	5.5	10.5	13.5
1112905	C	0	600	6	1000	11	2100	0	6	7.5	12
1112923	CC	0	500	5.5	1100	7	2200	0	7	12.5	12
1112924	C	0	450	4	1000	8	2500	1	5	14.5	16
1112928	CC	0	600	2	700	8	2200	0	7	12.5	12
1112930	CC	0	700	3.5	1000	5	2200	0	7	12.5	12
1112931	CC	0	200	10.25	1000	22	2500	0	5	14.5	16
1112936	CC	0	500	9.5	2000	0	6.5	12	16
1112937	CC	0	500	6.5	1800	0	8	9	13
1112950	CC	0	600	2	700	10	1900	0	7	10	11
1112952	CC	0	450	4.5	1000	8	1700	0	8	9	13
1112953	CC	0	500	9.5	2000	0	8	9	16
1112954	C	0	330	7	1400	10	3000	0	4.5	14.5	16
1112956	CC	0	325	9.5	1200	14	2200
1112960	CC	0	500	5.5	1000	7	2200	0	9	10	16
1112963	C	0	675	6	1800	9	2200	0	6	10	11
1112977	C	0	500	5	850	10	1900	0	4	9	12
1112983	C	0	600	4.5	1000	11	2000	0	4	7.5	10
1112985	C	0	675	6	1800	9	2200	0	6	10	11
1112988	CC	0	500	6.5	1800	0	8	9	13
1112991	C	0	713	10	2213	0	7	10	13
1112994	CC	0	325	9.5	1200	14	2200	0	5	12	11
1112995	CC	0	450	8.5	1200	13	2225	0	4	15	11
1112999	C	0	500	5	850	10	1900	0	4	5	8

⊙ — C (clockwise), CC (counterclockwise) when viewed from rotor end.