

# 1977 DISTRIBUTOR SPECIFICATIONS

## DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR DISTRIBUTOR RPM AND DEGREES, DIVIDE THE FOLLOWING SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Centrifugal Advance (Engine RPM & Degrees)						Vacuum Advance (Engine Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
11103217	C	2½-6	550	3½-6	600	7½-9½	2000	0-1½	5½	11½-14½	14¾
1103219	C	2½-6	550	3½-6	600	7½-9½	2000	0-1½	5½	11½-14½	14¾
1103221	CC	-½-2¾	500	6¼-8¼	775	20-22	2500	0	7	10-12½	16½
1103222 ②	CC	-½-2½	500	6½-8½	775	20-22	2500	0-2½	11	8¼-9¾	19
1103229	C	0	1200	6	1600	20	4400	0	3.5	20	12

① — C (Clockwise), CC (Counterclockwise) viewed from rotor end.

② Vacuum retard specifications are 0-2½° @ 4½" and ¾-4¾° @ 11".

## DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS (Cont.)

NOTE — FOR DISTRIBUTOR RPM AND DEGREES, DIVIDE THE FOLLOWING SPECIFICATIONS BY 2.

Distributor Part No.	Rot ①	Centrifugal Advance (Engine RPM & Degrees)						Vacuum Advance (Engine Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
1103230	C	0	1200	6	1600	20	4400	0	3.5	20	9
1103231	C	0	1200	.....	.....	20	4400	0	3.5	20	12
1103239	C	0	1200	15	2700	20	4200	0	3.5	15	9
1103244	C	0	1000	10	1700	20	3800	0	4.5	20	10
1103246	C	0	1200	12	2000	22	4200	0	3.5	18	11
1103248	C	0	1200	15	2700	20	4200	0	3.5	10	7
1103252	C	0	1000	10	1700	20	3800	0	4	18	12
1103257	CC	0	1200	4	1400	17	3600	0	5	10	20
1103259	CC	0	1000	.....	.....	19	4000	0	6	24	13
1103260	CC	0	1000	.....	.....	13	3600	0	6	24	13
1103262	CC	0	910	17	2375	26	4465	0	4	30	11
1103263	C	0	1200	.....	.....	20	4400	0	3.5	20	9
1103264	CC	0	1000	.....	.....	13	3600	0	5	16	11
1103266	CC	0	1000	.....	.....	19	4000	0	5	16	11
1103269	CC	0	1000	9	2000	17	4600	0	5	25	11
1103271	CC	8	1000	8	1400	16	4400	0	5	25	11
1103272	CC	0	825	10	1800	21.5	3430	0	4	25	15
1103273	CC	0	1000	17	2600	19	3600	0	4	25	12
1103275	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1103276	CC	0	800	4	1000	.....	.....	0	5	20	10
1103277	C	1-3	600	6-8	2500	5½-8	3000	0-1½	4½	9½-10½	13
1103278	CC	0	1200	4	1400	16	4400	0	5	20	10
1103297	C	¾-3	600	1-3½	625	6-8	2500	0-1½	4½	9½-10½	13
1103298	C	1-3	600	6-8	2525	5½-8	3000	0-1¼	5½	4½-5½	9¾
1103300	C	4-6½	625	7½-9½	2000	6½-9½	3000	0-1½	8½	4½-5½	12
1103303	C	0	1200	.....	.....	20	4400	0	9	20	16
1110239	C	0	1200	15	2700	20	4200	0	4	15	10
1110244	C	0	1000	10	1700	20	3800	0	4	20	10
1110246	C	0	1200	12	2000	22	4200	0	4	18	12
1110248	C	0	1200	12	2000	22	4200	0	4	10	8
1110252	C	0	1000	10	1700	20	3800	0	4	18	12
1110256	C	0	1200	13	1600	16	2000	0	4	10	8
1110538	C	0	850	8	1200	17	2000	0	5	24	10
1110539	C	0	850	8	1200	17	2000	0	5	24	10
1110677	C	0	1400	.....	.....	20	3600	0	4	24	11
1110678	C	0	1000	7	1600	20	4100	0	4	24	15
1110681	C	0	1000	7	1600	20	4200	0	4	15	12
1110686	C	0	1400	.....	.....	20	3600	0	7	8	9
1110687	C	0	1200	8	2000	24	4800	0	4	26	12
1110693	C	0	1200	8	2000	24	4800	0	4	14	8
1110694	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
1110702	C	0	1200	8	2000	24	4800	0	4	30	12
1110703	C	0	1200	8	2000	24	5700	0	4	30	12
1110725	C	0	1000	7	1600	20	4200	0	5	24	12
1112990 ②	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....

① — C (Clockwise), CC (Counterclockwise) viewed from rotor end.

② See Delco-Remy MISER Ignition System in this section.

## PRESTOLITE DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BELOW BY 2.

Distributor Part No.	Rot ①	Centrifugal Advance (Distr. Degrees & RPM)						Vacuum Advance (Distr. Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
IDJ-4001E	C	0	350-550	8	600-850	13	2200	0	4-6	17	11½
IDJ-4001F	C	0	350-550	8	650-1200	9½	2200	0	4-6	17	11½
IDJ-4001G	C	0	350-550	8	600-775	15½	2200	0	5-7	17	13
IDJ-4001H	C	0	350-550	8	500-700	12	2200	0	5-7	17	13
IDJ-4002F	C	0	350-550	8	800-1000	11	2200	0	5-7	18	13

① — C (Clockwise), CC (Counterclockwise) viewed from rotor end.