

4-12 1975-79 DISTRIBUTORS & IGNITION SYSTEMS

1976 Distributor Specifications

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BY 2

CHRYSLER CORP. DISTRIBUTOR ADVANCE SPECIFICATIONS

Distributor Part No.	Rot ⊙	Automatic Advance (Distr. Degrees & RPM)						Vacuum Advance (Distr. Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
3656672	C	0.5-3.5	550	5.0-7.5	800	11.5-14.0	2200	0.5-2.5	10.0	7.5-9.5	15.0
3755056	C	1.0-4.5	550	4.5-7.9	700	11.5-14.0	2200	1.5-5.0	11.0	5.0-8.0	12.5
3755150	CC	1.0-4.5	650	8.0-10.5	950	11.5-14.5	2000	1.0-4.0	10.5	8.0-10.5	15.5
3755157	CC	0.5-3.5	650	5.5-8.0	900	9.5-12.0	2000	1.0-4.0	10.5	8.0-10.5	15.5
3755201	C	0.5-3.0	550	2.5-5.0	700	11.5-14.0	2150	0.5-2.5	10.0	7.5-9.5	15.0
3874090	C	1.5-5.5	550	5.5-8.0	700	11.5-14.0	2200	0.5-2.5	7.0	10.0-12.0	12.5
3874115	C	1.0-3.5	600	6.0-8.5	900	10.0-12.0	2000	0.5-2.5	7.0	10.0-12.0	12.5
3874598	C	1.0-4.5	600	6.5-8.5	800	9.5-11.5	2300	0.5-2.5	7.0	7.0-10.0	11.5

⊙ - C (Clockwise), CC (Counterclockwise) viewed from rotor end.

DELCO-REMY DISTRIBUTOR ADVANCE SPECIFICATIONS

Distributor Part No.	Rot ⊙	Automatic Advance (Distr. Degrees & RPM)						Vacuum Advance (Distr. Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
1110650	C	0	550	7	1150	8	2100	0	4	7	12
1110664	C	0	550	7	1150	12	2050	0	10	10	13
1110667	C	0	500	3.5	800	10	2100	0	4	15	12
1112494	C	0	550	7	1400	10	2100	0	10	7	17
1112863	C	0	550	3.5	1150	8	2100	0	4	9	12
1112869	C	0	550	7	1400	10	2100	0	6	10	15
1112880	C	0	600	6	1000	11	2100	0	4	9	12
1112884	C	0	575	8.5	1450	11	2100	0	8	5	13
1112886	C	0	900	6	2100	0	4	9	17
1112887	C	0	550	7	1150	12	2100	0	10	5	13
1112888	C	0	950	6	800	8	2100	0	4	9	12
1112893	C	0	450	4.5	1000	8	1700	0	8-10	12	19-20
1112905	C	0	600	6	1000	11	2100	0	6	7.5	12
1112940	C	0	600	7.5	1350	10	2100	0	4	7.5	15.5
1112941	C	0	500	4	800	9.5	1725	0	8	5	13
1112945	C	0	450	4.5	1000	8	1700	0	14.5	5	18.5

⊙ - C (Clockwise), CC (Counterclockwise) viewed from rotor end.

FORD MOTOR CO. DISTRIBUTOR ADVANCE SPECIFICATIONS

Distributor Part No.	Rot ⊙	Automatic Advance (Distr. Degrees & RPM)						Vacuum Advance (Distr. Deg. & In. of Hg.)			
		Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.
D5TE-ABA	CC	-1-0.5	500	0-2.8	1000	3.5-6.2	1500	0.0-1.2	5	8.8-12	15
D5TE-AEA	CC	-1-0.5	500	5.8-7.8	1000	8.3-10.5	1500	0.0-4	5	8.8-11.2	15
D5TE-AGA	CC	500	1000	1500	5	15
D5TE-ALA	CC	500	1000	1500	5	15
D5TE-AKA	CC	-1-0.5	500	-1-1.8	1000	3-5.5	1500	0.0-1	5	4.8-7.2	15
D5TE-ASA	CC	-1-0.5	500	3-5	1000	6.8-9	1500	0.0-2.2	5	4.8-7.2	15
D5TE-DA	CC	-1-0.5	500	1-3	1000	3.5-5.8	1500	0.0-1	5	4.8-7.2	15
D5TE-EA	CC	-1-1.5	500	8-10	1000	11.8-14	1500	0.0-3	5	3.2-5.2	15
D5TE-FA	C	-1-0.5	500	2.3-4.4	1000	3.8-6	1500	0.0-1.2	5	16.8-19.2	15
D5TE-JA	CC	500	1000	1500	5	15
D5TE-MA	C	500	1000	1500	5	15
D5TE-NA	C	-1-0.5	500	5-7	1000	7.2-9.5	1500	0.0-3	5	4.8-7.2	15
D5TE-PA	CC	500	1000	1500	5	15
D5TE-RA	CC	-1-1	500	5.8-8	1000	8.5-10.8	1500	0.0-1.2	5	6.8-9.2	15
D5TE-SA	CC	500	1000	1500	5	15
D5TE-TA	CC	-1-0.5	500	1.5-3.5	1000	3.2-5.8	1500	0.0-1	5	6.1-9	15
D5TE-UA	C	-1-0.5	500	-1.2-1	1000	5-7.1	1500	0.2-4	5	14.8-16.8	15
D5TE-ZA	CC	500	1000	1500	5	15
D5TZ-C	CC	500	1000	1500	5	15
D5UE-DA	CC	500	1000	1500	5	15
D6TE-AA	C	-0.25-2.25	500	8.5-10.5	1000	10.75-13.15	1500	0.0-1	5	14.8-15.2	15
D6TE-CA	CC	-1-0.5	500	3-5	1000	8.7-10.8	1500	0.0-1	5	8.5-11.4	15
D6TE-DA	CC	500	1000	1500	5	15
D6TE-GA	C	0-2	500	7.2-9.4	1000	8.8-11	1500	0.2-3	5	8.3-11.2	15
D6TE-HA	CC	500	1000	1500	5	15
D6TE-KA	CC	-0.8-1	500	5.8-8	1000	8.8-11	1500	1.5-5	5	8.8-11.2	15
D6TZ-E	CC	500	1000	1500	5	15
D6UE-AA	CC	500	1000	1500	5	15
D6UE-BA	CC	500	1000	1500	5	15
D6UE-CA	CC	500	1000	1500	5	15

⊙ - C (Clockwise), CC (Counterclockwise) viewed from rotor end.