

S.E.V. DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE - FOR ENGINE RPM AND DEGREES, MULTIPLY SPECIFICATIONS BELOW BY 2.

Distributor Identification No.	Centrifugal Advance (Dist. Degrees & RPM)								Vacuum Advance (Dist. Degrees & In. of Hg.)						
	Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.	Deg.	In. Hg.	
	A65/C33 ①	Begin	700	5	900	13½	1275	17½	2250	10	2.87	10	12.60	5½	3.00
A67/C34 ①	Begin	525	11	1150	13½	2000	14	2250	10	3.00	5½	13.00	10	2.87	12.60
A96/C33 ①	Begin	650	11	1375	15	2000	16¼	2300	8	2.87	10	12.60	8	2.00	6.00
M36 ①	Begin	500	8	1500	9	1800	11	2300	11	2.00	8	6.00	11	4.50	11.80
M48 ①	Begin	500	9½	1500	12	2000	14½	2500	11	4.50	11	11.80
R199 ①	Begin	1100	2½	1850	6¼	2450
R234/D59 ①	Begin	450	1½	880	14	1500	18	2600	7	4.29	7	19.69	7	4.29	19.69
R235/D59 ①	Begin	500	8	1000	12	1500	15	2000	7	4.29	7	19.69	7	4.29	19.69
R239/D59 ①	Begin	0	7	850	12½	1500	20	2000	7	4.29	7	19.69	7	4.29	19.69
R242/C34 ①	Begin	500	7	800	13	1500	21	2500	5½	3.00	5½	13.00
RK ①	Begin	450	4½	1000	8	1500	12½	2000
RK/RO ①	Begin	450	4½	1000	8	1500	12½	2000	7½	5.91	7½	11.81
WW/RO ①	Begin	500	4½	1500	6¾	2000	9	2500	7½	5.91	7½	11.81
XCI ①	Begin	500	6	1200	11½	1750	16	2250	11	4.20	11	12.00
XC/XD ①	Begin	750	3	1000	8½	1500	13	1950	13	7.87	13	15.75
A24481 ②	0-½	300-550	5-7	1000	10-12	1500	14-16	1900	9-10½	4.70-6.00	9-10½	11.4
③	Begin	500	7	1250	11	1750	15	2400	10	5.00	10	12.00

- ① - Identification Curve Code - Letters and/or numbers to the left of slanted line denote centrifugal curve, letters and/or numbers to the right of slanted line denote vacuum curve.
- ② - Part Number.
- ③ - Identification or Part Number not available, this distributor is applicable to 1963-64 Simca 1000 & 1000 GL.

VOLKSWAGEN DISTRIBUTOR ADVANCE SPECIFICATIONS

Distributor Part No.	Rot.	Vacuum Advance (Dist. Degrees & In. of Hg.)											
		Deg.	In. Hg.	Deg.	In. Hg.	Deg.	In. Hg.	Deg.	In. Hg.	Deg.	In. Hg.	Deg.	In. Hg.
113905205L	C	2½-5½	.75	5-8	1.20	8-10	1.5	9-12	2.0	10¾-13¾	2.25	11½-14	2.5
113905205B	C	0-3	.75	1½-4½	1.0	3½-6½	1.20	5½-8½	1.40	7½-10½	1.5	9½-12½	1.75
113905205H	C	0-3	.75	1½-4½	1.0	3½-6½	1.20	5½-8½	1.40	7½-10½	1.5	9½-12½	1.75
113905205J	C