

MARELLI DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR ENGINE RPM & DEGREES, MULTIPLY SPECIFICATIONS BY 2.

Distributor Part No.	Centrifugal Advance (Dist. Degrees & RPM)					
	Deg.	RPM	Deg.	RPM	Deg.	RPM
S103B	1	500	9	1000	15	2000
S112AX,BX	1.5	500	7.5-9.5	1000	12-14	2000
					17.5	2400
					17.5	3000

⊙ — Ignition cut-off point, 3200-3300 RPM with distributor on engine.

MAZDA DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR ENGINE RPM & DEGREES, MULTIPLY SPECIFICATIONS BELOW BY 2.

Model	Centrifugal Advance (Dist. Degrees & RPM)						Vacuum Advance (Dist. Degrees & In. of Hg.)							
	Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.	Deg.	In. Hg.		
1200	0-1	600	5	1200	10	1800	14	2250	0-1	3.9	4	7.8	7-10	11.8
1600	0-1	700	3.5	1000	7	1500	11	2000	3	7.8	8.5	10.14
1800	0-1	600	7	1500	9	2000	0-1	3.9	4	7.8	6-8	11.8
RX-2⊙	0-1	500	2	1000	4	1500	7.5	2500	2.5	7.8	7	11.8	13	16.5
RX-2⊙	0-1	500	5	1000	10	1500	3.5	7.8	7	11.8	11	15.8

⊙ — Trailing Distributor.
 ⊚ — Leading Distributor.

MITSUBISHI DISTRIBUTOR ADVANCE SPECIFICATIONS

NOTE — FOR ENGINE RPM & DEGREES, MULTIPLY SPECIFICATIONS BELOW BY 2.

Distributor Part No.	Centrifugal Advance (Dist. Degrees & RPM)						Vacuum Advance (Dist. Degrees & In. of Hg.)							
	Deg.	RPM	Deg.	RPM	Deg.	RPM	Deg.	In. Hg.	Deg.	In. Hg.	Deg.	In. Hg.		
TVG-4DR	0	500	6.5	1000	14	3050	0	6.30	5.5	11.81	8.5	11.75