

# 1974-79 DISTRIBUTORS & IGNITION SYSTEMS 4-21

## 1979 Distributor Specifications

### BOSCH DISTRIBUTOR ADVANCE & RETARD SPECIFICATIONS

NOTE — FOR DISTRIBUTOR RPM & DEGREES, DIVIDE SPECIFICATIONS BELOW BY 2

Distributor Part No.	Rot. <sup>⊙</sup>	Centrifugal Advance (Engine Degrees @ RPM)					Vacuum Advance (Engine Degrees @ In. of Hg)				Vacuum Retard (Engine Degrees @ In. of Hg)			
021 905 205AB	C	0	.....	11-17	.....	21-25	0	.....	.....	8-11	0	.....	.....	11-13
		1000-1225	.....	2000	.....	3600	2.8-5.1	.....	.....	7.1-7.9	2.0-4.7	.....	.....	6.3-7.9
021 905 205AC	C	0	.....	11-17	.....	21-25	0	.....	.....	3-7	0	.....	.....	11-13
		1000-1250	.....	2000	.....	3600	2.8-5.1	.....	.....	5.5-6.3	2.0-4.7	.....	.....	6.3-8.3
021 905 205P	C	0	.....	9-14	.....	21-25	0	.....	.....	8-12	.....	.....	.....	.....
		1000-1200	.....	1600	.....	3400	3.1-4.3	.....	.....	7.9	.....	.....	.....	.....
022 905 205AB	C	0	.....	11-17	.....	21-25	0	.....	.....	8-11	0	.....	.....	11-13
		1000-1225	.....	2000	.....	3600	2.8-5.1	.....	.....	7.1-7.9	2.0-4.7	.....	.....	6.3-7.9
022 905 205AC	C	0	.....	11-17	.....	21-25	0	.....	.....	3-7	0	.....	.....	11-13
		1000-1250	.....	2000	.....	3600	2.8-5.1	.....	.....	5.5-6.3	2.0-4.7	.....	.....	6.3-8.3
022 905 205S	C	0	.....	9-14	.....	21-25	0	.....	.....	8-12	.....	.....	.....	.....
		1000-1200	.....	1600	.....	3400	3.1-4.3	.....	.....	7.9	.....	.....	.....	.....
035 905 205B	C	0	6-12	17-23	22-26	21-25	0	.....	.....	4-8	0	.....	.....	8-10
		1000	1600	2500	3000	4500	6.3-7.9	.....	.....	8.7-9.4	1.6-4.3	.....	.....	5.5-8.3
043 905 205H	C	0	.....	6-12	.....	20-23	0	.....	.....	5-8	0	.....	.....	11-13
		1000-1200	.....	1500	.....	3500	6.1	.....	.....	7.9	5.9	.....	.....	9.1
047 905 205C	C	0	10	20	26	29	0	3	5	6.8	.....	.....	.....	.....
		1150	1500	3000	4000	4500	3.2	4.0	4.9	6.3	.....	.....	.....	.....
049 905 205A	C	0	11-18	16-21	25-29	26-30	0	.....	.....	4-8	0	.....	.....	8-10
		1120-1400	2000	2400	4800	5200	10.0	.....	.....	11.5	8.0	.....	.....	11.0
0231 176 084	C	0	6-12	14-20	24-30	32-38	0	0-4	5-10	8-12	0	1-4	4-11	14-18
		800	1500	2000	3000	4000	8.5	11.0	13.4	14.5	2.4	4.0	6.3	9.4
0231 305 097	C	0	2-8	6-13	10-16	10-16	.....	.....	.....	.....	.....	.....	13	17
		800	1500	2000	2500	3000	.....	.....	.....	.....	.....	.....	3.1-4.7	9.8-10.0
0231 305 070	C	0	1-6	4-8	10-14	14-18	.....	.....	.....	.....	.....	.....	10	14
		800	1600	2000	3000	4000	.....	.....	.....	.....	.....	.....	2.7-5.9	8.3-9.4
0237 002 025	CC	0	4-8	10-14	22-26	21-25	0	.....	4	8.5	.....	.....	.....	.....
		700	2000	3000	4500	6000	3.9	.....	7.9	11.8	.....	.....	.....	.....
0237 002 038	C	0	6-12	16-22	26-30	25-29	0	5	10	17	.....	.....	.....	.....
		600	2000	3000	4000	6000	3.1	5.3	6.7	8.7	.....	.....	.....	.....
0237 002 039	C	0	2-7	16-20	22-26	26-31	0	4	12	17	.....	.....	.....	.....
		600	1500	2600	4000	5000	4.1	5.3	7.3	8.8	.....	.....	.....	.....
0237 003 014	CC	0	0-4	4-8	12-17	12-16	0	8-14	12-20	16-20	0	0-4	1-6	3-7
		700	2000	3000	5000	6000	2.0	5.8	7.0	8.1	3.8 <sup>⊙</sup>	4.5 <sup>⊙</sup>	5.0 <sup>⊙</sup>	6.1 <sup>⊙</sup>

⊙ — C (Clockwise), CC (Counterclockwise), viewed from rotor end.  
 ⊙ — Figure represents turbo boost psi.

# 4-22 1974-79 DISTRIBUTORS & IGNITION SYSTEMS

## 1979 Distributor Specifications (Cont.)

### BOSCH DISTRIBUTOR ADVANCE & RETARD SPECIFICATIONS (Cont.)

NOTE - FOR DISTRIBUTOR RPM & DEGREES, DIVIDE SPECIFICATIONS BELOW BY 2

Distributor Part No.	Rot. ⓐ	Centrifugal Advance (Engine Degrees @ RPM)					Vacuum Advance (Engine Degrees @ In. of Hg)				Vacuum Retard (Engine Degrees @ In. of Hg)			
		0	11-15	15-21	25-31	32-38	.....	8	.....	12	.....	.....	10	14
0237 304 002ⓐ	C	0	11-15	15-21	25-31	32-38	.....	8	.....	12	.....	.....	10	14
		600	1000	1700	3000	4500	.....	5.1-6.5	.....	8.6-8.7	.....	.....	2.8-6.4	8.3-9.8
0237 304 002ⓐ	C	0	8-12	12-18	22-28	29-33	.....	8	.....	12	.....	.....	10	14
		600	1000	1700	3000	4500	.....	5.1-6.5	.....	8.6-8.7	.....	.....	2.8-6.4	8.3-9.8
0237 304 003	C	0	16-22	.....	.....	27-34	.....	.....	.....	.....	.....	.....	.....	.....
		600	1500	.....	.....	3000	.....	.....	.....	.....	.....	.....	.....	.....
0237 402 013	C	0	9	20	28	26	0	2	8	17	.....	.....	.....	.....
		700	1400	2600	4700	6000	5.9	7.7	9.0	11.8	.....	.....	.....	.....
0237 402 015	C	0	12	20	29	32	0	3	6	9	.....	.....	.....	.....
		1200	2000	3000	4000	4400	9.0	11.4	13.4	15.7	.....	.....	.....	.....
0237 404 005	C	0	11-16	20-24	24-28	23-27	.....	.....	.....	.....	0	0-5	6-12	8-12
		1000	2000	2600	5000	6400	.....	.....	.....	.....	3.0	4.4	6.8	8.7
0237 405 002	C	0	9-13	20-24	19-23	18-22	0	0-4	2-9	8-12	0	0-6	2-9	6-10
		800	2000	3000	4000	6000	3.5	4.6	5.8	7.5	3.5	4.6	5.8	7.5
0237 406 004	C	0	10	13	24	22	0	4	10	16.5	0	4	10	12
		900	1500	3100	4000	6000	4.7	6.3	7.5	10.2	.8	2.4	4.7	5.9
930 602 02 1.02	CC	0	10	18	17	24	0	1.5	2.5	3.5	.....	.....	.....	.....
		1200	1900	2400	4400	5200	2.8	4	5.5	5.9	.....	.....	.....	.....
930 602 10 1.07	CC	0	5	10	18	16	0	5	10	11	.....	.....	.....	.....
		1300	1600	2000	2700	6000	4.7	6.3	8.3	9.4	.....	.....	.....	.....
930 602 10 1.08	CC	0	5	10	18	16	0	5	10	11	.....	.....	.....	.....
		1300	1600	2000	2700	6000	4.7	6.3	8.3	9.4	.....	.....	.....	.....
4387801ⓐ	C	0	8	.....	13	25	0	10	20	28	.....	.....	.....	.....
		1000	2000	.....	3000	5500	3.0	4.5	6.3	9.0	.....	.....	.....	.....
4392844ⓐ	C	0	8	.....	13	25	0	10	20	28	.....	.....	.....	.....
		1000	2000	.....	3000	5500	3.0	4.5	6.3	9.0	.....	.....	.....	.....
4406490ⓐ	C	0	8	.....	13	25	0	10	20	28	.....	.....	.....	.....
		1000	2000	.....	3000	5500	3.0	4.5	6.3	9.0	.....	.....	.....	.....
4419072ⓐ	C	0	8	.....	13	25	0	6.5	12	18	.....	.....	.....	.....
		1000	2000	.....	3000	5500	4.0	6.0	8.0	10.0	.....	.....	.....	.....
4419073ⓐ	C	0	8	.....	13	25	0	6.5	12	18	.....	.....	.....	.....
		1000	2000	.....	3000	5500	4.0	6.0	8.0	10.0	.....	.....	.....	.....
4419074ⓐ	C	0	8	.....	13	25	0	6.5	12	18	.....	.....	.....	.....
		1000	2000	.....	3000	5500	4.0	6.0	8.0	10.0	.....	.....	.....	.....

- ⓐ - C (Clockwise), CC (Counterclockwise), viewed from rotor end.
- ⓑ - Figure represents turbo boost psi.
- ⓒ - Federal models only.
- ⓓ - Calif. models only.
- ⓔ - Fiat part number.

### DUCELLIER DISTRIBUTOR ADVANCE & RETARD SPECIFICATIONS

NOTE - FOR DISTRIBUTOR RPM & DEGREES, DIVIDE SPECIFICATIONS BELOW BY 2.

Distributor Part No.	Rot. ⓐ	Centrifugal Advance (Engine Degrees @ RPM)					Vacuum Advance (Engine Degrees @ In. of Hg)				Vacuum Retard (Engine Degrees @ In. of Hg)			
		0	12-15	23-26	30-34	35-38	0	0-2	6-8	9-13	.....	.....	.....	.....
4441A	C	0	12-15	23-26	30-34	35-38	0	0-2	6-8	9-13	.....	.....	.....	.....
		1100	1600	3000	4000	4500	3.0	3.8	7.6	13.0	.....	.....	.....	.....
525003A	C	0	12-15	26-30	33-36	44-48	0	0-2	6-8	9-13	.....	.....	.....	.....
		1100	1900	2750	4000	5200	3.0	3.8	7.6	13.0	.....	.....	.....	.....
525181	C	0	4-8	14-18	19-23	24-28	0	3-7	6-10	9-13	.....	.....	.....	.....
		1400	2000	3000	4000	5000	4.3	7.9	9.8	11.8	.....	.....	.....	.....
525195A	C	0	12-14	26-30	32-36	38-42	0	0-2	6-8	9-13	.....	.....	.....	.....
		1100	1900	2750	3600	500	3.0	3.8	7.6	13.0	.....	.....	.....	.....

- ⓐ - C (Clockwise), CC (Counterclockwise), viewed from rotor end.

# 1974-79 DISTRIBUTORS & IGNITION SYSTEMS 4-23

## 1979 Distributor Specifications (Cont.)

### MARELLI DISTRIBUTOR ADVANCE & RETARD SPECIFICATIONS

NOTE - FOR DISTRIBUTOR RPM & DEGREES, DIVIDE SPECIFICATIONS BELOW BY 2

Distributor Part No.	Rot. ⓐ	Centrifugal Advance (Engine Degrees @ RPM)					Vacuum Advance (Engine Degrees @ In. of Hg)				Vacuum Retard (Engine Degrees @ In. of Hg)			
		0	10	15	21	28	0	.....	7	14	.....	.....	.....	.....
4387796ⓐ	C	0	10	15	21	28	0	.....	7	14	.....	.....	.....	.....
		1000	2000	3000	4000	5200	4.0	.....	8.0	12.0	.....	.....	.....	.....
4412143ⓐ	C	0	10	15	21	28	0	.....	5	10	.....	.....	.....	.....
		1000	2000	3000	4000	5200	4.0	.....	8.0	12.0	.....	.....	.....	.....
4419070ⓐ	C	0	8	.....	13	25	0	10	20	28	.....	.....	.....	.....
		1000	2000	.....	3000	5500	3.0	4.5	6.3	9.0	.....	.....	.....	.....
4419071ⓐ	C	0	8	.....	13	25	0	6.5	12	18	.....	.....	.....	.....
		1000	2000	.....	3000	5500	4.0	6.0	8.0	10.0	.....	.....	.....	.....

ⓐ - C (Clockwise), CC (Counterclockwise), viewed from rotor end.  
 ⓑ - Fiat part number.

### HITACHI DISTRIBUTOR ADVANCE & RETARD SPECIFICATIONS

NOTE - FOR DISTRIBUTOR RPM & DEGREES, DIVIDE SPECIFICATIONS BELOW BY 2

Distributor Part No.	Rot. ⓐ	Centrifugal Advance (Engine Degrees @ RPM)					Vacuum Advance (Engine Degrees @ In. of Hg)				Vacuum Retard (Engine Degrees @ In. of Hg)			
		0	.....	14	.....	28	0	.....	.....	10	0	.....	.....	7.5
D4H6-01	CC	0	.....	14	.....	28	0	.....	.....	10	0	.....	.....	7.5
		1000	.....	2400	.....	4800	2.0	.....	.....	11.8	3.0	.....	.....	10.8
D4K8-01	CC	0	.....	.....	.....	8.5	0	.....	.....	15	.....	.....	.....	.....
		600	.....	.....	.....	1250	2.8	.....	.....	11.0	.....	.....	.....	.....
D4K8-02	CC	0	.....	.....	.....	13.5	0	.....	.....	9	.....	.....	.....	.....
		550	.....	.....	.....	2400	4.1	.....	.....	11.8	.....	.....	.....	.....
D4K8-03	CC	0	.....	.....	.....	11	0	.....	.....	10	.....	.....	.....	.....
		600	.....	.....	.....	1950	2.8	.....	.....	7.7	.....	.....	.....	.....
D4K8-04	CC	0	.....	.....	.....	11	0	.....	.....	4	.....	.....	.....	.....
		600	.....	.....	.....	1950	3.5	.....	.....	6.3	.....	.....	.....	.....
D4K8-05	CC	0	.....	.....	.....	11	0	.....	.....	3	.....	.....	.....	.....
		600	.....	.....	.....	1950	3.5	.....	.....	5.5	.....	.....	.....	.....
D4K8-08	CC	0	.....	.....	.....	8.5	0	.....	.....	10.0-12.5	.....	.....	.....	.....
		600	.....	.....	.....	1250	2.8-4.3	.....	.....	9.0-9.8	.....	.....	.....	.....
D4K8-09	CC	0	.....	.....	.....	8.5	0	.....	.....	7.5	.....	.....	.....	.....
		600	.....	.....	.....	1250	3.9-4.3	.....	.....	9.8	.....	.....	.....	.....
D4K8-13	CC	0	.....	.....	.....	14	0	.....	.....	3	.....	.....	.....	.....
		550	.....	.....	.....	2300	6.7	.....	.....	8.9	.....	.....	.....	.....
D4K8-18	CC	0	.....	.....	.....	13.5	0	.....	.....	12	.....	.....	.....	.....
		550	.....	.....	.....	2400	3.2	.....	.....	10.4	.....	.....	.....	.....
D4K8-19	CC	0	.....	.....	.....	14	0	.....	.....	9	.....	.....	.....	.....
		550	.....	.....	.....	2300	4.1	.....	.....	9.8	.....	.....	.....	.....
D6K8-01	CC	0	.....	.....	.....	17	0	.....	.....	30	.....	.....	.....	.....
		1200	.....	.....	.....	2500	2.8	.....	.....	11.0	.....	.....	.....	.....
D6K8-02	CC	0	.....	.....	.....	17	0	.....	.....	18	.....	.....	.....	.....
		1200	.....	.....	.....	2500	5.9	.....	.....	11.6	.....	.....	.....	.....
D6K8-03	CC	0	.....	.....	.....	17	0	.....	.....	10	.....	.....	.....	.....
		1200	.....	.....	.....	2500	5.9	.....	.....	9.8	.....	.....	.....	.....
D6K8-05	CC	0	.....	.....	.....	17	0	.....	.....	20	.....	.....	.....	.....
		1200	.....	.....	.....	2500	4.3	.....	.....	11.4	.....	.....	.....	.....
D6K8-06	CC	0	.....	.....	.....	17	0	.....	.....	15	.....	.....	.....	.....
		1200	.....	.....	.....	2500	5.9	.....	.....	10.6	.....	.....	.....	.....
D6K8-08	CC	0	.....	.....	.....	17	0	.....	.....	20	.....	.....	.....	.....
		1200	.....	.....	.....	2500	4.3	.....	.....	9.0	.....	.....	.....	.....
D6K8-09	CC	0	.....	.....	.....	17	0	.....	.....	15	.....	.....	.....	.....
		1200	.....	.....	.....	2500	4.3	.....	.....	9.8	.....	.....	.....	.....

ⓐ - C (Clockwise), CC (Counterclockwise), viewed from rotor end.

# 4-24 1974-79 DISTRIBUTORS & IGNITION SYSTEMS

## 1979 Distributor Specifications (Cont.)

### HONDA DISTRIBUTOR ADVANCE & RETARD SPECIFICATIONS

NOTE — FOR DISTRIBUTOR RPM & DEGREES, DIVIDE SPECIFICATIONS BELOW BY 2

Distributor Part No.	Rot. ⓐ	Centrifugal Advance (Engine Degrees @ RPM)					Vacuum Advance (Engine Degrees @ In. of Hg)				Vacuum Retard (Engine Degrees @ In. of Hg)			
		0	.....	15	.....	20	0	.....	9	17	.....	.....	.....	.....
D409-66	CC	0	.....	15	.....	20	0	.....	9	17	.....	.....	.....	.....
		1000	.....	2000	.....	2700	4.0	.....	6.0	8.0	.....	.....	.....	.....
D411-81	CC	0	.....	15	.....	25	0	.....	5	17	.....	.....	.....	.....
		1000	.....	2000	.....	3400	5.5	.....	7.0	11.5	.....	.....	.....	.....
D411-82	CC	0	.....	11	.....	16	0	.....	5	17	.....	.....	.....	.....
		1200	.....	2000	.....	3000	5.5	.....	7.0	9.0	.....	.....	.....	.....
D412-99	CC	0	.....	2	.....	6	.....	.....	.....	.....	0	.....	2.5	5
		1800	.....	2000	.....	3000	.....	.....	.....	.....	2.5	.....	3.9	4.3
D417-67	CC	0	.....	7.7	.....	14.5	0	.....	2	3.5	.....	.....	.....	.....
		1100	.....	1900	.....	4300	3.1	.....	3.9	4.3	.....	.....	.....	.....
D4J6-06	CC	0	.....	3	.....	14	0	.....	3	10.8	.....	.....	.....	.....
		1200	.....	2000	.....	3000	5.5	.....	7.0	11.0	.....	.....	.....	.....
30100-689-661	CC	0	.....	12.8	.....	30	0	.....	8	17	.....	.....	.....	.....
		950	.....	1760	.....	5000	4.3	.....	5.8	7.3	.....	.....	.....	.....
30100-689-781	CC	0	.....	12.8	.....	36	0	.....	8	17	.....	.....	.....	.....
		950	.....	1760	.....	5000	5.5	.....	7.9	11.6	.....	.....	.....	.....
30100-689-791	CC	0	.....	7	.....	30	0	.....	6	14	0	.....	4	9
		1200	.....	2000	.....	5000	5.5	.....	8.3	13.0	2.6	.....	3.3	4.3

ⓐ — C (Clockwise), CC (Counterclockwise), viewed from rotor end.

### LUCAS DISTRIBUTOR ADVANCE & RETARD SPECIFICATIONS

NOTE — FOR DISTRIBUTOR RPM & DEGREES, DIVIDE SPECIFICATIONS BELOW BY 2

Distributor Part No.	Rot. ⓐ	Centrifugal Advance (Engine Degrees @ RPM)					Vacuum Advance (Engine Degrees @ In. of Hg)				Vacuum Retard (Engine Degrees @ In. of Hg)			
		.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
45DE4 Midget	CC	.....	1-7	7-13	13-17	15-19	.....	.....	.....	.....	0	.....	1-14	10-14
		.....	1200	1500	2600	3300	.....	.....	.....	.....	3.0	.....	11.0	15.0
MGB	CC	.....	.....	13-17	28-32	33-37	0	.....	.....	22-26	.....	.....	.....	.....
		.....	.....	2000	3500	4500	3.0	.....	.....	11.0	.....	.....	.....	.....
Spitfire	CC	0	8-12	11-15	12-16	12-16	.....	.....	.....	.....	0	.....	10-14	10-14
		850	1600	2600	3200	5000	.....	.....	.....	.....	1.0	.....	15.0	20.0
45DE6 XJ6L	CC	0	12-16	16-20	22-26	24-28	0	.....	.....	16	.....	.....	.....	.....
		1000	2000	2600	5200	7000	6.0	.....	.....	10.0	.....	.....	.....	.....
47DE4 TR7	CC	0	6-10	9-13	17-21	20-24	.....	.....	.....	.....	0	.....	10-14	10-14
		880	1500	2100	3800	4500	.....	.....	.....	.....	3.0	.....	11.0	15.0

ⓐ — C (Clockwise), CC (Counterclockwise), viewed from rotor end.

# 1974-79 DISTRIBUTORS & IGNITION SYSTEMS 4-25

## 1979 Distributor Specifications (Cont.)

### MITSUBISHI DISTRIBUTOR ADVANCE & RETARD SPECIFICATIONS

NOTE - FOR DISTRIBUTOR RPM & DEGRESS, DIVIDE SPECIFICATIONS BELOW BY 2

Distributor Part No.	Rot. ①	Centrifugal Advance (Engine Degrees @ RPM)					Vacuum Advance (Engine Degrees @ In. of Hg)				Vacuum Retard (Engine Degrees @ In. of Hg)			
		0	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
823918200②	C	0	.....	.....	.....	7	0	.....	.....	7.5	.....	.....	.....	.....
		500	.....	.....	.....	2000	4.9	.....	.....	10.2	.....	.....	.....	.....
868218200A②	C	0	.....	.....	.....	8.5	0	.....	.....	9	.....	.....	.....	.....
		750	.....	.....	.....	2000	2.4	.....	.....	11.8	.....	.....	.....	.....
882618200A②	C	0	.....	.....	.....	10	0	.....	.....	7.5	.....	.....	.....	.....
Leading		500	.....	.....	.....	1500	3.9	.....	.....	15.7	.....	.....	.....	.....
Trailing		0	.....	.....	.....	10	0	.....	.....	15	.....	.....	.....	.....
		500	.....	.....	.....	1500	7.9	.....	.....	15.7	.....	.....	.....	.....
882718200A②	C	0	.....	.....	.....	10	0	.....	.....	7.5	.....	.....	.....	.....
Leading		500	.....	.....	.....	1500	3.9	.....	.....	15.7	.....	.....	.....	.....
Trailing		0	.....	.....	.....	10	0	.....	.....	15	.....	.....	.....	.....
		500	.....	.....	.....	1500	7.9	.....	.....	15.7	.....	.....	.....	.....
891418200②	C	0	.....	.....	.....	10	0	.....	.....	7	.....	.....	.....	.....
		700	.....	.....	.....	2350	2.9	.....	.....	13.8	.....	.....	.....	.....
892618200A②	C	0	.....	.....	.....	10	0	.....	.....	7	.....	.....	.....	.....
		700	.....	.....	.....	2350	2.9	.....	.....	13.8	.....	.....	.....	.....
892718200②	C	0	.....	.....	.....	10	0	.....	.....	7	.....	.....	.....	.....
		700	.....	.....	.....	2350	2.9	.....	.....	13.8	.....	.....	.....	.....
T3T05771	C	0	.....	.....	.....	20	0	.....	.....	12	.....	.....	.....	.....
		1000	.....	.....	.....	4400	1.0	.....	.....	1.7	.....	.....	.....	.....
T3T05772	C	0	.....	.....	.....	20	0	.....	.....	8	.....	.....	.....	.....
		1000	.....	.....	.....	4400	1.0	.....	.....	1.7	.....	.....	.....	.....
T3T05776	C	0	.....	.....	.....	20	0	.....	.....	17	.....	.....	.....	.....
		1000	.....	.....	.....	4400	7	.....	.....	1.7	.....	.....	.....	.....
T3T05778	C	0	.....	.....	.....	22	0	.....	.....	12	.....	.....	.....	.....
		1000	.....	.....	.....	4600	9	.....	.....	1.75	.....	.....	.....	.....
T3T05779	C	0	.....	.....	.....	20	0	.....	.....	12	.....	.....	.....	.....
		1000	.....	.....	.....	4600	1.0	.....	.....	1.7	.....	.....	.....	.....
T4T60171	C	0	.....	12	.....	20	0	.....	.....	7	.....	.....	.....	.....
		1200	.....	2800	.....	6000	1.5	.....	.....	2.3	.....	.....	.....	.....
T4T60175	C	0	.....	12	.....	20	0	.....	.....	8	.....	.....	.....	.....
		1200	.....	2800	.....	6000	1.0	.....	.....	1.7	.....	.....	.....	.....

① - C (Clockwise), CC (Counterclockwise), viewed from rotor end.  
 ② - Mazda part number.

# 4-26 1974-79 DISTRIBUTORS & IGNITION SYSTEMS

## 1979 Distributor Specifications (Cont.)

### NIPPONDENSO DISTRIBUTOR ADVANCE & RETARD SPECIFICATIONS

NOTE — FOR DISTRIBUTOR RPM & DEGREES, DIVIDE SPECIFICATIONS BELOW BY 2

Distributor Part No.	Rot. ⓐ	Centrifugal Advance (Engine Degrees @ RPM)					Vacuum Advance (Engine Degrees @ In. of Hg)				Vacuum Retard (Engine Degrees @ In. of Hg)			
		0	.....	23	.....	27.5	0	.....	12	18	.....	.....	.....	.....
19100-24180	C	0	.....	23	.....	27.5	0	.....	12	18	.....	.....	.....	.....
		1000	.....	3400	.....	6000	5.0	.....	8.3	10.2	.....	.....	.....	.....
19100-26232	C	0	4.5	.....	15	12	0	7	22	28	.....	.....	.....	.....
		1000	16.50	.....	2700	6000	3.1	4.6	9.1	11.8	.....	.....	.....	.....
19100-26280	C	0	4	12.5	20	19.6	0	8.2	20	26	.....	.....	.....	.....
		1000	17.50	2800	5400	6000	4.3	6.3	10.2	13.0	.....	.....	.....	.....
19100-26290	C	0	4	12.5	16	14.5	0	7.4	18.4	24	.....	.....	.....	.....
		1000	17.50	2800	4120	6000	4.3	6.3	10.2	13.0	.....	.....	.....	.....
19100-38081	C	0	5	13	21	20	0	9	22	28	.....	.....	.....	.....
		1100	15.90	2300	5000	6000	3.9	5.9	9.8	12.6	.....	.....	.....	.....
19100-38091	C	0	5	13	21	20	0	6	16	20	.....	.....	.....	.....
		1100	15.90	2300	5000	6000	3.9	5.5	9.4	11.8	.....	.....	.....	.....
19100-38150	C	0	5	13	21	20	0	9	22	28	.....	.....	.....	.....
		1100	15.90	2300	5000	6000	3.9	5.9	9.8	12.6	.....	.....	.....	.....
19100-38180	C	0	5	13	21	20	0	6	16	20	.....	.....	.....	.....
		1100	15.90	2300	5000	6000	3.9	5.5	9.4	11.8	.....	.....	.....	.....
19100-45150	C	0	4.5-8.5	8-11	12.5-15.5	13.5-17.5	0	.....	10-14	14-18	.....	.....	.....	.....
		1500	1800	2400	4400	6000	3.5	.....	7.9	13.4	.....	.....	.....	.....
19100-45190	C	0	6	12	12	10	0	7	18	22	.....	.....	.....	.....
		1100	2000	2900	4000	6000	3.9	5.9	9.8	11.8	.....	.....	.....	.....
19100-61101	C	0	10	12.5	17	15	0	.....	8.6	16	.....	.....	.....	.....
		1200	1800	2736	3800	6000	3.9	.....	6.0	8.3	.....	.....	.....	.....
029100-3281	CC	0	.....	15	.....	24	0	.....	.....	12-16	.....	.....	.....	.....
		1400	.....	3000	.....	4400	3.0	.....	.....	9.0-11.0	.....	.....	.....	.....
029100-3940	CC	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
029100-4190	CC	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....	.....
029100-4270	CC	0	10	.....	18	28	0	2.5	7	10	0	1.5	5	7.5
		1000	2000	.....	3000	4750	2.0	3.9	7.9	11.8	2.9	3.9	7.9	10.8

ⓐ — C (Clockwise), CC (Counterclockwise), viewed from rotor end.