



1980 General Motors "C" & "K" Models 5-19




5-20 "C" & "K" Models 1980 General Motors




1980 General Motors "C" & "K" Models 5-21

- 8. INST. LTS.
- 11. HIGH BEAM
- 14. L. DIR. IND.
- 15. R. DIR. IND.
- 25. ALT. IND.
- 30. FUEL GA.
- 31. OIL
- 33. LOW BRAKE
- 35. TEMP.
- 39. 12 VOLT IGN.
- 150. GROUND
- 237. SEAT BELT
- 931. ELEC. CHOKE
- 939. 12 VOLT IGN.


WITH TACH & GA. (NO CLOCK)




WITH CLOCK & GA. (NO TACH)



W/O TACH & CLOCK (NO GA.)



IGN. SWITCH
 OFF - OPEN
 START - GRD. 1 + GRD. 2 GROUNDED AT SW. BODY IGN. 1 + BAT. 1 + SOL. CONNECTED
 RUN - IGN. 1 + BAT. 1 CONNECTED ACC. + BAT. CONNECTED IGN. 3 + BAT. CONNECTED
 ACC. - ACC. + BAT. 2 CONNECTED
 BAT. - 1+2+3 TERMS COMMON



HAZARD & DIRECTION SW. CONN.

